Luceplan Price list Europe / 2017



INDEX

Price list Luceplan 1
Packaging 69
Delivery conditions 77

Table

Ascent	3
Bap LED	4
Berenice	5
Berenice LED	7
Cappuccina	8
Costanzina	12
Costanza	14
Costanza LED	18
Costanza + Philips Hue	19
Curl	24
Fortebraccio	31
Fortebraccio led	33
Miranda	48
Mirandolina	49
Otto Watt	50
Tivedo	67

Floor

Berenice	6
Cappuccina	8
Carrara	10
Chichibio	10
Compendium	10
Costanza	15
Costanza LED	18
Costanza + Philips Hue	19
Grande Costanza	2
Counterbalance Floor	24
Fortebraccio	3
Норе	39
Lady Costanza	20
Lola	43
Miranda	48
Nothing	49
Otto Watt	50
Tango	66

Ceiling/Wall

Any	2
Bap LED	4
Berenice	6
Blow	7
Costanzina	12
Costanza	16
Counterbalance	23
Counterbalance spot	23
E04 ceiling	26
E04 wall	27
E06	29
Ecran in&out	29
Fly-too	30
Fortebraccio	31
Garbí	34
Goggle	36
Goggle Hope	36
Норе	39
Hope Illusion	39
Hope Illusion Javelot Macro	39 40 41
Hope Illusion Javelot Macro Lady Costanza	39 40 41 20
Hope Illusion Javelot Macro Lady Costanza Lane	39 40 41 20 41
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc	39 40 41 20 41 42
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc Lola	39 40 41 20 41 42 43
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc Lola Metropoli	39 40 41 20 41 42 43 45
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc Lola Metropoli Otto Watt	39 40 41 20 41 42 43 45 51
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc Lola Metropoli Otto Watt Soleil Noir	39 40 41 20 41 42 43 45 51
Hope Illusion Javelot Macro Lady Costanza Lane Lightdisc Lola Metropoli Otto Watt Soleil Noir	39 40 41 20 41 42 43 45 51 59 60

Suspension

Agave	1
Aircon	2
Archetype	3
Cappuccina	9
Compendium	11
Costanzina	13
Costanza	16
Costanza LED	18
Diade	25
E04 suspension	28
Grande Costanza	22
Glassglass	34
Нарру Нарру	36
Honeycomb	37
Норе	38
Lady Costanza	20
Lightdisc	42
Mesh	43
Minimini	48
Pétale	51
Plissé	54
Pod lens	54
Silenzio	56
Soleil Noir	59
Stochastic	59
Synapse	64
Titania	66
Queen Titania	67
Trama	68

Outdoor

Ecran in&out	29
G. Costanza open air	22
E04 wall	27
Javelot Macro	41
Lightdisc	42
Metropoli	45
Pod lens	54
Sky	57
Solar bud	58

Emergency

Strip D22/2 EL.E

Legenda

60

	Lamping included
▼	Selling-out
h	Height
I	Lenght
d	Depth
Ø	Diameter
EEL	Energy Efficiency Classes
∇	Fixture fit for direct assembly on normally inflammable surfaces.
IP20	Appliance complies with European directives
IP40	Appliance protected against ingress of solid objects greater than 1.0 mm.
IP65	Dust-tight. Protected against water jets.
(Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
	Device in wich the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.
	Device in wich the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
r R	Self-protected lamp symbol. Where you see this symbol use self-protected or low pressure light sources that do not require a protective screen
Secan Secan	Symbol to prevent use of dichroic light sources. Where you see this symbol it is not possible to use dichroic light sources (or cold light sources)

EEL = Energy Efficiency Label

(*) = LED module is not replaceable



set of color filters included (red, yellow, blue and cream), superposable, generate the lamp's hue.


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D49/17 s. suspension 220-240V~ 50/60Hz H 100 - 300 Ø 17	1D4917S00000	transparent methacrylate	LED E27 Ø max 38 mm l 150 mm max 20W FBT E27	A++ A+ A	271,00
	D49/26 s. suspension D49/26 s. 220-240V~ 50/60Hz 220-240V~ 50/60Hz	1D4926S00000	transparent methacrylate	LED E27 Ø max 38 mm l 150 mm	A++ A+ A	323,00
	D49/26 s. EL suspension electronic ballast EEI A2 220-240V~ 50/60Hz H max 150 Ø 26 220-240V~ 50/60Hz	1D4926SE0000	transparent methacrylate	32-42W FSM GX24 q-3/4	A	421,00
	D49/70 s. suspension 220-240V~50/60Hz H 100 - 300 Ø 70 C € □ ▼	1D4970S00000	transparent methacrylate	LED E27 Ø max 38 mm l 150 mm max 20W FBT E27	A++ A+ A	347,00
	D49/70 s. EL suspension electronic ballast EEI A2 220-240V~ 50/60Hz H max 150 Ø 70	1D4970SE0000	transparent methacrylate	32-42W FSM GX24 q-3/4	A	444,00
accessori						
	D49/01 off-center rose Ø 14	1D49/0100002	white			59,00

1

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D50 suspension electronic ballast EEI A2 230V~ 50Hz H 50-200 Ø 100 C € □ ▼	1D5000000000	neutral	3x24W FSD 2G11	A	490,00

D69 ANY


Habits Studio, Format Design Studio



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	wall electronic driver dimmable trailing edge 123 h12 d 9 220-240V~ 50/60Hz C € ⊕ ▼ IP20	1D69000L0002	white	LED 24W 2700K	A (*)	333,00
	D69/01 wall electronic ballast EEI A2 I 38 h 12 d 9 220-240V~ 50/60Hz C € ⊕ ▼ IP20	1D69001E0002	white	24W FSD 2G11	A	231,00
	D69/02 wall electronic ballast EEI A2 I 63 h 12 d 9 220-240V~ 50Hz C € ⊕ ▼ IP20	1D69002E0002	white	80W FSD 2G11	A	281,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D69/03 wall electronic ballast EEI A2 1120 h 12 d 9 220-240V~ 50/60Hz C € ⊕ ▼ IP20	1D69003E0002	white	2 x 28/54W FDT5 G5	A	328,00

accessori



D68 ARCHETYPE


goodmorning technology

Lamp body and suspension cable are the same colour

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D68 L suspension dimmable trailing edge Ø 31, h 23 cable I 3 m 220-240V~ 50/60Hz	1D680L000002 1D680L000003 1D680L000001 1D680L000007	white sky blue black red	LED 15W 3000K 606lm	A (*)	330,00 330,00 330,00 330,00

D78 ASCENT

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	b78 table dimmer on board h max 65 base 17 x 17 testa Ø 8,5 C €	1D780=000001	black	LED 11W 2700K	A (*)	413,00
	D78 p.t. fixing pin dimmer on board h max 64 head Ø 8,5 C €	1D780PT00001	black	LED 11W 2700K 324 lm	A (*)	364,00




Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D19L.LED electronic driver dimmer on board head 30 x 2 x 2	1D19LL000002	white	LED 12W 2700K	A	243,00
	arm 50 100-240V~ 50/60Hz C €	1D19LL000001	black	466 lm	(*)	243,00

accessories				
	D19/1	1D19/1N00002	white	60,00
	table base 25,4 x 14,5 cm	1D19/1N00001	black	60,00
	D19/2	1D19/2000002	white	14,00
	surface mount Ø 8	1D19/2000001	black	14,00
	D19/3 wall bracket 4,5 x 4,5	1D19/3000002	white	14,00
		1D19/3000001	black	14,00
	D19/8 desk joint	1D19/8000002	white	43,00
		1D19/8000001	black	43,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D19/9 clamp	1D19/9000002	white			55,00
	h 7 (thickness, max 7,5 cm)	1D19/9000001	black			55,00

D12 BERENICE

alberto meda, paolo rizzatto




Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12 EL table on/off switch electronic ballast 12V	1D120=00E020	alu	∏ LED GY6.35 max Ø 12,6 x 36mm	A+	236,00
	arms 45 + 45 base Ø 15	1D120=00E001	black	35W - 12V HSGST GY6.35	В	236,00
	I	1 1	1 1		l I	
	D12 EL pt table on/off switch electronic ballast 12V	1D120=0PE020	alu	LED GY6.35 max Ø 12,6 x 36mm	A+	223,00
	electronic balast 12V fixing pin (max 57 mm) arms I 45 +45 C € ◆ ▼	1D120=0PE001	black	35W - 12V HSGST GY6.35	В	223,00
	D12 EL pi. table on/off switch	1D120=P0E020	alu	LED GY6.35 max Ø 12,6 x 36mm	A+	232,00
	electronic ballast 12V arms I 30 +30 base Ø 13,5	1D120=P0E001	black	35W - 12V HSGST GY6.35	В	232,00
	C€ ® ♥					

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12 EL t. floor on/off switch electronic ballast 12V	1D120T00E020	alu	LED GY6.35 max Ø 12,6 x 36mm	A+	252,00
	arms I 80 +30 base Ø 15 C € ♠ ▼	1D120T00E001	black	A S5W - 12V HSGST GY6.35	В	252,00
D12 EL a.45 wall on/off switch electronic ballast 12\text{ arms 45 + 45} C \(wall on/off switch	1D120A45E020	alu	LED GY6.35 max Ø 12,6 x 36mm	A+	213,00
	arms I 45 +45	1D120A45E001	black	ASSW - 12V HSGST GY6.35	В	213,00
~	D12 EL a.pi. wall on/off switch	1D120AP0E020	alu	LED GY6.35 max Ø 12,6 x 36mm	A+	209,00
	electronic ballast 12V arms I 30 +30	1D120AP0E001	black	35W - 12V HSGST GY6.35	В	209,00
reflectors						
		1D120/4/1502	white			43,00
	D12/4	1D120/4/1510	blue			43,00
52	glass reflector	1D120/4/1507	red			43,00
		1D120/4/1511	green			43,00
	D12/5	1D120/5/1520	alu			30,00
	metal reflector	1D120/5/1501	black			30,00

D12 BERENICE LED

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12 LED table on/off switch electronic driver 24V dc	1D120=NCL020	alu	LED 8W 3000K	A	333,00
	arms I 45 + 45 base Ø 15 C € ♠ ▼	1D120=NCL001	black	3000K	(*)	333,00
		1 1	1 1	1	1 1	
	table on/off switch electronic driver 24V dc	1D120=NPL020	alu	LED 8W	A	321,00
	fixing pin (max 57 mm) arms I 45 +45	1D120=NPL001	black	3000K	(*)	321,00
	C€ ® ♥					

D28 BLOW ferdi giardini



Calculate the price of the lamp by adding the cost of the body and that of the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	ceiling dimmable push dim/on-off remote control h 40 Ø 24 220-240V~50/60Hz	1D2800000002	opal	max 150W LED HSGST E27 dimmabl HSGSA E27	A++ A+ A B	447,00


accessories

2004	D28/1	1D280P000000	transparent		79,00
	methacylate blades set Ø 140	1D280P000088	multicolour (blue, green, orange)		79,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D28/2 methacrylate screenprinted blades set ø 140	1D280P200000	transparent			88,00
0 0 0 0	D28 r infrared remote control	1D280R000000				55,00

D88 CAPPUCCINA

inga sempé



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
1	D88 table dimmer on board h 57 base Ø 20 C € ▼	1D880=D00004	glacier light grey	LED 12W 3000K	A (*)	264,00
	D88t floor foot dimmer h 150 base Ø 30	1D880TD00004	glacier light grey	LED 12W 3000K	A (*)	332,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D88s suspension dimmer trailing edge with wall control 220-240V~ 50/60Hz h min.46	1D880S000004	glacier light grey	LED 15W 🔲	A (*)	239,00
shades + accessorie	es					
	D88/1	1D8801000003	cream			147,00
	small shade tissue coupled with polycarbonate (for table and suspension	1D8801000028	brown/pluie			147,00
version) Ø 36 h 20	I Ø 36	1D8801000011	green/cochenille			147,00
	D88/2 large shade	1D8802000003	cream			174,00
	tissue coupled with polycarbonate (only for floor and suspension version)	1D8802000028	brown/pluie			174,00
	Ø 45 h 22,5	1D8802000011	green/cochenille			174,00
	D88/3 anti fall accessory for D88/1	1D8803000000				37,00
	D88/4 anti fall accessory for D88/2	1D8804000000				56,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5	1D380DL00002 1D380DL00001	white matt black	LED 45W 3000K □	A++	1.313,00

D37 CHICHIBIO

amedeo g. cavalchini, domenico perrucci

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D37 floor foot dimmer H 220/330 base Ø 29 220-240V~ 50/60Hz C € □ ▼	1D370D000004	white diffuser alu stem	LED E27 dimmable 205W HSGST E27 energy saver	A++ A+ A D	320,00


D81 COMPENDIUM

daniel rybakken

For the floor version to create a lamp by adding the body to the base. For the suspension version, add to the lamp any accessories.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
j	D81tn	1D810TN00020	alu			470,00
	floor extruded aluminium foot dimmer 3000K h 164	1D810TN00001	black	LED 26W 3000K 1286 Im (alu, brass) 994 Im (black)	A (*)	470,00
	C€ ♥	1D810TN00030	brass			470,00
Ì	D81tw floor	1D810TW00020	alu			470,00
	extruded aluminium foot dimmer 2700K h 164	1D810TW00001	black	LED 26W 2700K 1227 lm (alu, brass) 962 lm (black)	A (*)	470,00
	C € ♥	1D810TW00030	brass			470,00
	D81/1 base 220-240V~ 50/60Hz h 16,8 ∅ 14 C € □ ▼	1D810/100001	black			231,00


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81s suspension extruded aluminium	1D810S000020	alu			580,00
	dimmer trailing edge wall control 3000K I 162,5	1D810S000001	black	LED 26W 3000K 1286 lm (alu, brass) 994 lm (black)	A (*)	580,00
	220-240V~ 50/60Hz	1D810S000030	brass			580,00
	D81sw suspension extruded aluminium	1D810SW00020	alu			580,00
	dimmer trailing edge wall control 2700K I 162,5 220-240V~ 50/60Hz	1D810SW00001	black	LED 26W 2700K 1227 Im (alu, brass) 962 Im (black)	A (*)	580,00
		1D810SW00030	brass			580,00
accessoires						
	D81/2 accessory for mechanical joining 180°	1D810/200001				16,00
	D81/3 Accessory Kit for mechanical joining T or 90°	1D810/300001				42,00



Calculate the price of the lamp by adding the cost of the body and that of the shade (versions not complete). LED Bulbs included in the complete version LED.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13 pi.c LED table on/off switch h 51 base 14x14	1D13=NPLC030	complete version brass body white shade	E14 LED 6W	A++ A+ A D	250,00
	D13pi.c LED table on/off switch h 51 base 14x14	1D13=NPLC020	complete version alu body white shade	E14 E14	A++ A+ A D	185,00
	D13 pi. table on/off switch h 51 base 14x14	1D13=NP00020 1D13=NP00017 1D13=NP00003	alu black off white	LED 6W E14 12W FB E14 energy saver 42W HSGSA E14	A++ A+ A D	139,00 139,00 162,00
	D13 pi.pt. table on/off switch with fixing pin (max 57 mm) h 51 C © □ ▼	1D13PNP00020	alu	LED 6W E14 12W FB E14 energy saver 42W HSGSA E14	A++ A+ A D	126,00
	D13 a.pi. wall on/off switch h 54 d 28	1D13ANP00020 1D13ANP00017	alu	LED 6W E14 12W FB E14 energy saver 42W HSGSA E14	A++ A+ A D	137,00

Dimension cm	Item code	Finishes	Suggested light source	EEL E	Euro ex.V.A.T.
D13 s.pi. suspension up and down on/off switch H 100/250	1D13SNP00002	white counterweight	LED 4,5W E14 12W FB E14 energy saver 42W HSGSA E14	A++ A+ A D	132,00
D13pi/1/4 shade ø 26 packing: 4 items the price refers to the single article	1D13=1P11NO2	white			33,00
no collection					
D13 pi/1/2 shade ø 26 packing: 1 item	9D1331437734 9D1331437738 9D1331437739 9D1331437724 9D1331437737	mistic white soft skin shaded stone edgy pink comfort green			40,00 40,00 40,00 40,00
ollection	<u>'</u>	<u>'</u>		'	
D13pi/1/2 shade ø 26 packing: 1 item	9D1331437736 9D1331437706 9D1331437708 9D1331437705 9D1331437701	petroleum blue smart yellow primary red concrete grey liquorice black			40,00 40,00 40,00 46,00 46,00
D13/25 off-center ceiling rose	9D1325476800	white			32,00
D13/50 wall mount accessory for D13 a.pi	9D1350620720 9D1350620701	alu			46,00 46,00
	D13pi/1/2 shade Ø 26 packing: 1 item D13pi/1/2 shade Ø 26 packing: 1 item D13pi/1/2 shade Ø 26 packing: 1 item D13pi/1/2 shade Ø 26 packing: 1 item	Dispirity Disp	Di3pi/1/4 Shade o 26 Polisibility Polisibi	DI3pI/1/2 DI3pI/1/2 DI3shifter DI3shifter DI3pI/1/2 DI3shifter DI3sh	Dispirity A




Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13c. table telescopic sensor dimmer 220-240V~50Hz H 76/110 base 18x18	1D13N=00C030	complete version brass body white shade diffuser accessory included	LED E27 dimmable 105/140W H5GSA E27 energy saver	A++ A+ A D	420,00
	p13 c. table telescopic sensor dimmer on board H 76/110 base 18x18 220-240V~ 50/60Hz	1D13N=00C020A	complete version alu body white shade diffuser accessory included	LED E27 dimmable 105/140W HSGSA E27 energy saver	A++ A+ A D	352,00
<u>/</u>	D13 table telescopic sensor dimmer	1D13N=000020	alu	LED E27	A++	264,00
	on board 220-240V~ 50Hz H 76/110	1D13N=000017	black	dimmable 105/140W HSGSA	A+ A	264,00
	base 18x18 C € □ ▼	1D13N=000003	off white	105/140W HSGSA E27 energy saver	D	271,00
/\				\$ 20/22W O IED		
4	D13 i. table telescopic	1D13N=010020	alu	20/23W PED FB E27	A++ A+	218,00
	on/off switch h 76/110 base 18x18	1D13N=010003	off white	105/140W HSGSA E27 ehergy saver max 205W HSGST E27 energy saver	A D	228,00
	D13 i.f. table fixed	1D13N=01F020	alu	₽ 20/23W ₽ E27	A++ A+	203,00
	on/off switch h 80 base 18x18	1D13N=01F003	off white	105/140W HS0SA E27 energy saver max 205W HS0ST E27 energy saver	A D	211,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13 p.t. table telescopic sensor dimmer on board 220-240V~ 50Hz with fixing pin (max 57 mm) H 76/110 C € □ ▼	1D13NPT00020	alu	LED E27 dimmable 105/140W H565A E27 energy saver	A++ A+ A D	225,00
	D13 p.t.i. table telescopic on/off switch with fixing pin (max 57 mm) H 76/110	1D13NPT10020	alu	20/23W LED FB E27 105/140W HS0SA E27 eergy saver MAX 205W HSOST E27 energy saver	A++ A+ A D	184,00
	D13t.c. floor telescopic sensor dimmer on board 220-240V~50Hz H 120/160 base 18x18	1D13NT00C030	complete version brass body white shade	LED E27 dimmable 105/140W HSGSA E27 energy saver	A++ A+ A	431,00
	D13 t.c. floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 C € □ ▼	1D13NT00C020A	complete version alu body white shade	LED E27 dimmable 105/140W HSGSA E27 energy saver	A++ A+ A D	361,00
	D13 t. floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18	1D13NT000020 1D13NT000017 1D13NT000003	alu black off white	LED E27 dimmable 105/140W H565A E27 energy saver	A++ A+ A D	275,00 275,00 286,00
	D13 t.i. floor telescopic on/off switch h 120/160 base 18x18	1D13NT010020 1D13NT010003	alu off white	20/23W LED FB E27 105/140W HS0SA E27 energy saver max 205W HS0ST E27 energy saver	A++ A+ A D	234,00 244,00
	D13 t.i.f. floor fixed on/off switch h 153 base 18x18	1D13NT01F020 1D13NT01F003	alu off white	20/23W LED FB E27 E27 105/140W HS0SA E27 entry saver max 205W HSOST E27 entry saver	A++ A+ A D	222,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13 a. wall telescopic sensor dimmer on board 220-240V~ 50Hz H 76/110 S 44/57 C € □ ▼	1D13NA000020	alu	LED E27 dimmable 105/140W H565A E27 energy saver	A++ A+ A D	229,00
	D13 a.i.f. wall fixed on/off switch H 80 S 46	1D13NA01F020	alu	20/23W LED FB FB E27 105/140W H505A E27 energy saver Max 205W H50ST E27 energy saver	A++ A+ A D	177,00
	D13 s. suspension telescopic H 100/150	1D13NS000020	alu	20/23W LED FB FB E27 105/140W HSOSA E27 energy saver Max 205W HSOST E27 energy saver	A++ A+ A D	192,00
	D13 sa.s. suspension up and down H 100/250	1D13NSA20020	counterweight steel mat chrome	LED 9W E27 105/140W HS65A E27 energy saver	A++ A+ A D	141,00
shade						
\Diamond	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			62,00
shades for Mezzo To	ono collection					
\Diamond	D13/1/2 shade Ø 40 packing: 1 item	9D1301511734 9D1301511738 9D1301511739 9D1301511724 9D1301511737	mistic white soft skin shaded stone edgy pink comfort green			93,00 93,00 93,00 93,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
shades for Radieuse	collection					
		9D1301511736	petroleum blue			93,00
		9D1301511706	smart yellow			93,00
	D13/1 /2 shade Ø 40	9D1301511708	primary red			93,00
~ ~	packing: 1 item	9D1301511705	concrete grey			111,00
		9D1301511701	liquorice black			111,00
accessories						
*0°=>						
	D13/25 off_center	9D1325476800	white			32,00
	ceiling rose					
	D13/50	9D1350620720	alu			46,00
	wall mount accessory for D13 a - D13 a.i.f					
		9D1350620701	black			46,00
	D13/90 diffuser accessory lamping included			105W HSGSA		
\tau\a\	only with halogen bulbs	1D13N/900000	white	HSGSA E27 energy saver	D	26,00
Land						
	1					
	D13/91					
	diffuser accessory	1D10N1/010000				45.00
	packing: 4 items the price refers to the single article	1D13N/910000	white			15,00
L.J	only with halogen bulbs					
			1			



Calculate the price of the lamp by adding the cost of the body and that of the shade. Luminous flux data in combination with the lampshade finish are available on data sheets, www.luceplan.com

Sody	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13i L table telescopic on/off switch H76/110 base 18x18 220-240V~ 50/60Hz C€ □ ▼	1D13L=010020	alu	LED 23W 2700K	_ A (*)	390,00
	D13t L floor telescopic sensor dimmer on board H 120/160 base 18x18 220-240V~ 50/60Hz C € □ ▼	1D13LT000020	alu	LED 23W 2700K	_ A (*)	418,00
	D13sas L suspension up and down dimmer trailing edge wall control H 100/250 220-240V~ 50/60Hz C € ⊕ ▼	1D13LSA00020	counterweight steel mat chrome	LED 23W 2700K	A (*)	305,00
ralumi						
	D13/1/4 shade Ø 40 packing: 4 items	1D13001NT002	white			62,00


D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002		white			62,00
--	--------------	--	-------	--	--	-------

ody	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
ralumi collezi	ione Mezzo Tono			light source		CA.V.A.T.
		9D1301511734	mistic white			93,00
		9D1301511738	soft skin			93,00
	D13/1/2 shade Ø 40	9D1301511739	shaded stone			93,00
\vee	packing 1 item	9D1301511724	edgy pink			93,00
		9D1301511737	comfort green			93,00
		9D1301511736 9D1301511706	petroleum blue smart yellow			93,00 93,00
			Ι΄.			
	D13/1 /2 shade Ø 40	9D1301511708	primary red			93,00
\vee	packing 1 item	9D1301511705	concrete grey			111,00
		9D1301511701	liquorice black			111,00
cessori						
	D13/25 off-center ceiling rose	9D1325476800	white			32,00

COSTANZA WITH PHILIPS HUE

paolo rizzatto

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	b13c.H table telescopic hue Kit: bridge + lamp included on/off switch h 76/110 base 18x18	1D13N=0HC020	complete version alu body white shade	LED R6B HUE E27	А	400,00
	(€ □ ₹					
	D13t.c.H floor telescopic hue Kit: bridge + lamp included on/off switch h 120/160 base 18x18 C	1D13NT0HC020	complete version alu body white shade	LED RGB HUE E27	A	404,00



Calculate the photo	or the famp by adding the cost of	and body and that of the o			
Body	Model Dimension cm	Item code	Finishes	Suggested EEL light source	Euro ex.V.A.T.
	D13E d. floor telescopic dimmer on board dimmer h 217/250	1D13GED00020	alu	20/23W E27 E27 E27 dimmable A++ 105/140W H5655A E27 energy saver A	943,00
<u></u>	h min 130/140 base 36 x 36 220-240V~ 50Hz	1D13GED00017	black	max 205W HSGST E27 energy saver	943,00
	D13E i. floor telescopic on/off switch h 217/250	1D13GEI00020	alu	20/23W LED 9W E27 E27 dimmable A++	862,00
h 217/250 h min 130/140 base 36 X 36 220-240V~ 50Hz C € □ ▼	h min 130/140 base 36 X 36 220-240V~ 50Hz	1D13GEI00017	black	105/140W A+ HS0SSA EZ7 energy saver Max 205W HS6ST E27 energy saver	862,00
	D13Ea d. wall version telescopic dimmer on board h 215/248 220-240V~ 50Hz C € □ ▼	1D13GEDA0020	alu	20/23W EED 9W FB E27 dimmable 105/140W HS05SA A E27 energy saver max 205W HS0ST E27 energy saver D	824,00
	D13Ea i. wall version telescopic on/off switch h 215/248	1D13GEIA0020	alu	20/23W EED 9W E77 E27 dimmable 105/140W HS053A A+ E27 energy saver D 105/140W HS05T A 105/140W HS05T A 105/140W HS05T A 105/140W A+ D 105/140W A 105/140W A	646,00
	D13E sas suspension h 100/250	1D13GESA0020	alu	20/23W EED 9W FB E27 dimmable A++ 105/140W H56SA E27 energy saver max 205W H56ST E27 energy saver	158,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
shade and accessor	ies					
		1D13GE/01002	white			135,00
	D13E/1	1D13GE/01039	shaded stone			158,00
	D13E/1 shade Ø 50, h 35	1D13GE/01008	primary red			204,00
		1D13GE/01001	black			223,00
	D13/25 off-center ceiling rose	9D1325476800	white			32,00
pand	D13/90 diffuser accessory lamping included only with halogen bulb	1D13N/900000	white	105W HSGSA L E27 energy saver	D	26,00
for sep	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulb	1D13N/910000	white			15,00

D13G. GRANDE COSTANZA


paolo rizzatto

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13G t. floor telescopic sensor dimmer 220-240V~50Hz Ø 70, H 175/235 base 36x36 C € □ ▼	1D13GTDH0020	alu stem white shade	3xLED E27 dimmable 3x70W HSGSA E27 energy saver	A++ A+ A D	986,00
	D13G t.i. floor telescopic on/off switch Ø 70, H 175/235 base 36x36	1D13GTIH0020	alu stem white shade	3xLED E27 3x20W FB E27 3x70W HSGSA E27 energy saver	A++ A+ A D	977,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13G s. suspension sensor dimmer 220-240V~ 50Hz Ø 70, H 100/475	1D13GSDH0020	white shade	3xLED E27 dimmable 3x70W HSGSA E27 energy saver	A++ A+ A D	538,00
	D13G s.i. suspension Ø 70, H 100/475	1D13GSIH0020	white shade	3xLED E27 3x20W FB E27 3x70W HSGSA E27 energy saver	A++ A+ A D	505,00

D13G GRANDE COSTANZA OPEN AIR

paolo rizzatto



Calculate the price of the lamp by adding the cost of the body and that of the shade, and of miscellaneous accessories, if any, such as base, rod stake or fixed base.

Apparatus IP44 with optical compartment with a degree of protection IP55.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13G.air floor outdoor on/off switch Ø 2,1, h 221 C € ⊕ ▼ IP44	1D13GT/00020 1D13GT/00013	alu	LED E27 23W FBT E27 205W HS6ST E27 energy saver	A++ A+ A D	674,00 674,00

shade and accessories

D13G/1 shade Ø 70, h 49		1D13GP/01002	white (indoor only)	214,00
	1D13GP/01028	off-white	291,00	
		1D13GP/01013	rust	291,00
		1D13GP/01011	green	291,00
	I	1	1 1	'

Body	Model Dimension cm	Item code	Finishes	Suggested EEL light source	Euro ex.V.A.T.
D13G.air/2 base I 36x36, h 2		1D13GT/02020	alu		300,00
	base I 36x36, h 2	1D13GT/02013	rust		300,00
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, h 50,7	1D13GT/03020	alu		91,00
	D13G.air/4 fixed base	1D13GT/04020	alu		91,00
	for dowels Ø 12, h 1,25	1D13GT/04013	rust		91,00

D73 COUNTERBALANCE

daniel rybakken

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
Ko	D73N wall step dimmer (0%/50%/100%) 220-240V~ 50/60Hz I191,6 head Ø 8,5	1D73N0000003	white	LED 15W 2700K	A++ (*)	709,00
A.	Pacity	1D73N0000001	black			709,00
	C€ □ ₹					

D73a COUNTERBALANCE SPOT

daniel rybakken


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D73a ceiling/wall dimmable trailing edge with wall control 127.9	1D730A000003	white	LED 12W 2700K	A	329,00
	head Ø 8,5 220-240V~ 50/60Hz	1D730A000001	black	800 lm	(*)	329,00

Calculate the price of the lamp by adding the cost of the body and that of the base.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D73NT floor step dimmer (0%/50%/100%) 220-240V~ 50/60Hz h 170 C € □ ▼	1D73NT000001	black	LED 15W 2700K	A++ (*)	399,00
	D73/1 base h 24 Ø 14,5	1D730/100001	black			169,00

D76 CURL sebastian bergne

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D76N1 table dimmer on board 121 h 26	1D760N100003	white	LED 8W 3000K 241 lm	A (*)	251,00 251,00



Body	Model Dimension cm	Item code	Fi	inishes	Suggested light source	E	EEL	Euro ex.V.A.T.
optic 120 cm								
	D93SDDC suspension with direct light diffuser push dim/ DALI 120 x 15 x 5 h min 5 / max 300 220-240V~ 50/60 Hz	1D930SDDC020	alu	ı	LED 45W [A++ (*)	793,00
	D93SDLC suspension with symmetric lens to direct light push dim / DALI 120 x 15 x 5 h min 5 / max 300 220-240V~ 50/60 Hz C € ⊕ ₩	1D930SDLC020	alu	J.	LED 45W 3000K		A++ (*)	861,00
sound-absorbing par	nels 120 cm							
		1D93010000A1	wh	nite/black				1.208,00
	D93/1 Pair of panels 120 x 60	1D93010000A2	wh	nite/blue				1.208,00
		1D93010000A4	wh	nite/beige				1.208,00
Supporti								
	D93/5 Kit 4 supports positioning vertical panels	1D9305000020	alu	1				105,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			179,00
optic 180 cm						
	D93SDDL suspension with direct light diffuser push dim / DALI 180 x 15 x 5 h min 5 / max 300 220-240V~ 50/60 Hz	1D930SDDL020	alu	LED 65W 3000K	A++ (*)	945,00
	D93SDLL suspension with symmetric lens to direct light push dim / DALI 180 x 15 x 5 h min 5 / max 300 220-240V~ 50/60 Hz	1D930SDLL020	alu	LED 65W	A++ (*)	1050,00
sound-absorbing par	nels 180 cm					
	D93/3 Pair of panels 180 x 60	1D93030000A1 1D93030000A2	white/black white/blue			1.607,00
		1D93030000A4	white/beige			1.607,00
Supports		<u> </u>			· ·	
	D93/7 Kit 6 supports positioning vertical panels	1D9307000020	alu			157,00
	D93/8 Kit 6 supports positioning horizontal panels	1D9308000020	alu			268,00



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
A	E04005 ceiling h 27,9 Ø 7 220-240V~ 50Hz C € ⊕ ▼ IP20 🛱	1E0400005002 1E0400005019	white	30W 12V HAGS GU5,3 or LED SPOT 12V GU5,3	A++ A+ A B	198,00
	CC V IF20 KA					
	E04020 ceiling h 37,2 Ø 13,4	1E0400020002	white	45W 12V HMGS G53	A++ A+	321,00
	0 13,4 220-240V~ 50Hz C € ⊕ ♥ IP20 🛱	1E0400020019	polished	ED 12V	C D	366,00


e04 WALL habits studio

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
i w	E04051 wall indipendent on/off	1E0400051002	white	50W HAGS GU10 or equivalent	A++	246,00
m	dimmerabile h 27,9 Ø 7	1E0400051005	anthracite	LÉD SPOT GU10 + 50W HAGS	A+ A	246,00
	250V C € ⊕ ⋈ ♥ IP20 ⋈	1E0400051019	polished	GU10 or equivalent LED SPOT GU10	D	280,00
	E04050 wall	1E0400050002	white	30W 12V	A++	270,00
	dimmable h 46,5 Ø 7 220-240V~	1E0400050005	anthracite	HAGS GU5,3 or LED SPOT 12V	A+ A	270,00
	C € ⊕ ♥ ▼ IP20 ♠	1E0400050019	polished	GU5,3	В	298,00
	E04053 wall/outdoor IP55 dimmable (halogen) h 46,5	1E0400053002	white	30W 12V HAGS GU5,3	A++ A+	361,00
Ø 7 220	07 220-240V~ C€ ⊕ ♥ ♥ ₱	1E0400053005	anthracite	or LED SPOT 12V GU5,3	АВ	361,00
	E04055 wall	1E0400055002	white	20W 12V HAGS GU5,3 or	A++	280,00
	dimmable (halogen) h 46,5 Ø 7 220-240V~ 50Hz	1E0400055005	anthracite	EED SPOT 12V GU5,3 + 20W 12V HAGS GU5 3	A+ A	280,00
A	C € ⊕ ♥ P20 ₽	1E0400055019	polished	д, HAGS GU5,3	В	310,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E04056 wall/outdoor IP55 dimmable (halogen) h 46,5 Ø 7 220-240V~50Hz C € ⊕ ♥ ♥ Թ	1E0400056002 1E0400056005	white	20W 12V HAGS GU5,3 or LED SPOT 12V GU5,3 + 20W 12V HAGS GU5,3 or LED SPOT 12V GU5,3	A++ A+ A B	356,00 356,00
	E04076 wall	1E0400076002	white	45W 12V	A++	378,00
275	dimmable h 37,2 Ø 13,4 220-240V~ 50Hz	1E0400076005	anthracite	G53 or LED 12V G53	A+ A C	378,00
bridge (distribution)	C € ⊕ ▼ IP20 🛱	1E0400076019	polished	033	D	423,00

e04 SUSPENSION

habits studio



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E04100 suspension dimmable (versione alogena) h 27,9 Ø 7 220-240V~ 50Hz C E	1E0400100020 1E0400100002 1E0400100005 1E0400100019	metallized grey white anthracite polished	30W 12V HAGS GU5,3 or LED SPOT 12V GU5,3	A++ A+ A B	359,00 370,00 370,00 416,00
	E04105 suspension dimmable (halopar) h 27,9 Ø 7 250V C € □ ▷ ♥ IP20 ♠	1E0400105020 1E0400105002 1E0400105005 1E0400105019	metallized grey white anthracite polished	50W HAGS GU10 or LED SPOT GU10	A++ A+ A D	326,00 335,00 335,00 370,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
5	E04110 suspension	1E0400110020	metallized grey	2 x max 20W HAGS	A++	382,00
	dimmable (halogen version) h 46,5 Ø 7	1E0400110002	white	GU5,3 or equivalent LED SPOT	A+ A	394,00
۵	220-240V~50Hz C € □ ﷺ ▼ IP20 ∰	1E0400110005	anthracite	GU5,3	В	394,00
1.				1		
	E04135 suspension dimmable	1E0400135020	metallized grey	45W 12V HMGS	A++ A+	428,00
1	integrated reflector h 37,2 Ø 13,4 220-240V~ 50Hz	1E0400135002	white	653 or LED 12V	A	441,00
500	C € □ ▼ IP20 ♠	1E0400135005	anthracite	653	D	441,00
accessories						
8	EA1060 ceiling rose	1EA100060000	white			17,00

e06 habits studio

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E06015 ceiling fixture dimmable (halogen version) h 37,2 Ø 7 220-240V~50Hz C € ⊕ ♥ P20 ♠	1E0600015002 1E0600015005 1E06N0015019	white anthracite polished	30W 12V HAGS GU5,3 or LED SPOT 12V GU5,3	A++ A+ A B	288,00 288,00 333,00
	E06025 electrified track fixture dimmable (halogen version) h 37,2 Ø 7 220-240V~ 50Hz C € ⊕ ♥ ▼ IP20 €	1E0600025002 1E0600025005 1E06N0025019	white anthracite polished	30W 12V HAGS GU5,3 or LED SPOT 12V GU5,3	A++ A+ A B	341,00 341,00 379,00

accessories

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
EA1062	1EA100062002	white			34,00	
Co	ceiling mount 7,2 x 7,2 only for E06000	1EA100062019	polished			39,00

D67 ECRAN IN&OUT


inga sempé

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D67PLN1 wall/outdoor 220-240V~50Hz Ø 18,5 D 14,5 C € □ IP65	1D670PN10002 1D670PN10034	opal white	LED 8W 3000K	A (*)	168,00 168,00

D84a FLY-TOO


consuline

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D84a wali	1D840A000002	aged white/ aged white			365,00
	dimmable with wall control 220-240V~ 50/60Hz Ø 20,5 I 27,4	1D840A000038	aged white/ tanned skin	LED 26W 3000K 1546 lm	A (*)	365,00
	C€ ⊕ ∀	1D840A000001	ultramat black/ aged white			365,00
	1	100404040000	aged white/			040.00
	D84a/01 wall	1D840A010002	aged white	LED WIN		313,00
	remote driver version Ø 20,5 h 13,7	1D840A010038	aged white/ tanned skin	LED 26W 3000K 1546 lm	(*)	313,00
0 0	c € ♠ ₹	1D840A010001	ultramat black/ aged white			313,00
accessory						
Pere LES Diver	D84/1 remote independent driver for D84a/01	1D840/100000				44,00



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N.100	1D33N2GI00AA	metal	LED 9W	A++	158,00
// \	table/wall on/off switch arms I 44 + 35,5 head Ø 16	1D33N2GI0002	white	TOW HSGSA	A+ A D	167,00
	C€ □ ▼	1D33N2GI0001	black soft-touch	E27 energy saver		185,00
	D33N.100 D table/wall	1D33N2GD00AA	metal	LED 9W E27 70W HSGSA E27 energy saver	A++ A+ A D	186,00
// \	dimmer on board 220-240V~ 50Hz arms I 44 + 35,5 head Ø 16	1D33N2GD0002	white			194,00
	C € □ ▼	1D33N2GD0001	black soft-touch			211,00
	D33Nt.100D floor	1D33NTGD00AA	metal	LED 9W A++ E27 A+ A+ A+ ASGSA E27 energy saver D	A++	184,00
	dimmer on board 220-240V~ 50Hz arms I 35,5 h 92 head Ø 16	1D33NTGD0002	white		А	192,00
		1D33NTGD0001	black soft-touch			213,00
	D33Nsp.60	1D33NSPI00AA	metal	LED 6W E14	A++	116,00
	ceiling/wall on/off switch s 36 head Ø 11	1D33NSPI0002	white	28W Spot R50 E14 energy saver	A+ A	120,00
	C€ □ ▼	1D33NSPI0001	black soft-touch	42W HSGSA E14 energy saver	D	130,00
	D33Nsp.100	1D33NSGI00AA	metal	LED 9W E27 70W HSGSA E27 energy saver	A++ A+ A	123,00
	ceiling/wall on/off switch s 36 head Ø 16	1D33NSGI0002	white			129,00
2	C€ □ ▼	1D33NSGI0001	black soft-touch	E27 energy saver	D	140,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
accessories						
	D33N/1 base Ø 23,6	1D33N/010002	white			75,00
		1D33N/01000A	metal			75,00
		1D33N/010001	black soft-touch			79,00
Å	D33N/3 universal joint h 11,8	1D33N/03000A	metal			30,00
E S	D33N/4 clamp h 1 - 6,5	1D33N/04000A	metal			30,00
	D33N/5 fixing pin	1D33N/05000A	metal			47,00



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N.led table/wall on/off switch 24V dc arms I 44 + 35.5 head Ø 8,9	1D33N2LIR0AA 1D33N2LIR002 1D33N2LIR001	metal white black soft-touch	LED 9W 3000K 125 lm	A (*)	271,00 276,00 288,00

accessories					
		1D33N/010002	white		75,00
<u> </u>	D33N/1 base Ø 23,6	1D33N/01000A	metal		75,00
		1D33N/010001	black soft-touch		79,00
Ä	D33N/3	45000/0000			
A	universal joint h 11,8	1D33N/03000A	metal		30,00
	D33N/4 clamp h 1 - 6,5	1D33N/04000A	metal		30,00


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N/5 fixing pin	1D33N/05000A	metal			47,00

D90 GARBÍ

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D90 wall dimmer trailing edge wall control 220-240V~ 50/60Hz 20 x 14 x 16 C	1D900AW00002 1D900AW00018	white metal/white	LED 30W 2700K 2020 lm	A (*)	231,00 308,00

D31 GLASSGLASS

paolo rizzatto



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D31 P H max 124 C € ⊕ ▼	1D31PH000020	alu	LED HSGSA E27 entergy saver 23W SET SET E27 Entergy saver	A++ A+ A D	218,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.			
	D31 G H max 124 C € ⊕ ♥	1D31GH000020	alu	LED B 105/140W HSGSA E27 energy saver	A++ A+ A D	240,00			
glass and accessories									
	D31 P/1 H 27 Ø 33	1D31P/010002	opal			210,00			
	D31 P/2 Н 33 Ø 39	1D31P/020002	opal			330,00			
	1D31 P/5 H 43 Ø 40	1D31P/050002	opal			356,00			
	D31 P/9 H 30,6 Ø 22,5	1D31P/090002	opal			128,00			
	D31 G/1 H56 Ø38	1D31G/010000	transparent sand-blasted			530,00			

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL Euro ex.V.A.T.
	D31 G/2 H25 Ø29	1D31G/020000	transparent sand-blasted		234,00
	D31/1 extra cable 4 m	1D31/0100020			105,00

D52 GOGGLE


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D52 ceiling/wall h 32, I 18, s 14	1D5200000031	iridescent	LED 6W E14 12W FB E14 energy saver 42W HSGSA E14	A++ A+ A D	88,00

D45 HAPPY HAPPY


jan eihed, aleksandra stratimirovic

ross lovegrove

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D45 EL suspension electronic ballast EEI A2 coloured filters yellow, green and blue included 142 x 23, h 16 H 50/200 220-240V~ 50/60 Hz	1D45=EL00002	opal	2:54W FDITSI G5	A	504,00
	D45 dl EL suspension dark light electronic ballast EEI A2 coloured filters yellow, green and blue included 142 x 23, h 16 H 50/200 220-240V~ 50/60 Hz C	1D450EL00002	opal	2:54W FDIT51 G5	A	566,00



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D70K/3N1 suspension dimmable trailing edge with wall control 220-240V~ 50/60Hz	1D701K300002	complete version 3 bodies glossy white + 1 module LED + suspension kit	LED 25W 3000K 1363 lm	A (*)	519,00
	D70K/4N1 suspension dimmable trailing edge with wall control 220-240V~ 50/60Hz	1D701K400002	complete version 4 bodies glossy white + 2 modules LED + suspension kit	LED 50W 3000K 2726 lm	A (*)	794,00
338	D70C/1 3 bodies + attachments h module 8	1D7001000002	glossy white			62,00
338 388 338	D70C/3 9 bodies + attachments h module 8 C €	1D7003000002	glossy white			180,00
optics						



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D70L/2N1 LED version dimmable trailing edge with wall control structure 6 modules 220-240V~ 50/60Hz C € ⊕ ▼	1D701L200000	satin finish aluminium ceiling rose white	LED 50W 3000K 2726 lm	A (*)	484,00


accessories


	D70S suspension kit 4 steel cables	1D7002000002	white		77,00
338 33	D70A kit 5 hooks	1D7005000002	white		32,00

D66 HOPE

francisco gomez paz, paolo rizzatto


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/12 suspension H max 270 Ø 61	1D6612S00000	transparent polycarbonate	LED E27 23W FB E27 105W HS6SA E27 energy saver	A++ A+ A D	819,00
	D66/18 suspension H max 270 Ø 72 CE V	1D6618S00000	transparent polycarbonate	LED E27 23W FB E27 105W H56SA E27 energy saver	A++ A+ A D	1.089,00
	D66/18 EL D suspension push dim/DALI electronic ballast EEI A2 220-240V~ 50/60Hz dimmer H max 150 Ø 72 C € □ ▼	1D6618SED000	transparent polycarbonate	42W F5M GX24 q-4	A++ A+ A	1.278,00





Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/8 a wall 1 61 d 45,6 Ø 61	1D6608A00000	transparent polycarbonate	LED E27 23W FB E27 105W HS6SA E27 energy saver	A++ A+ A D	632,00
	D66/12p ceiling Ø 69 h 41,5	1D6612P00000	transparent polycarbonate	3x LED E14 3x 12W FB E14 3x 42W HSGSA E14 energy saver	A++ A+ A D	919,00
	D66/30p ceiling Ø 109 h 64 C € ⊕ ▼	1D6630P00000	transparent polycarbonate	3x LED E27 3x 23W FB E27 3x105W HS6SA E27 energy saver	A++ A+ A D	2.274,00

kit for special composition



D80 ILLUSION

francisco gomez paz

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D80 wall/ceiling dimmable trailing edge with wall control 23 x 23 x 4 220-240V~ 50/60 Hz C € □ ▼ IP20	1D800A000002	structure white transparent polycarbonate screen	LED 17W main power 3000K 982 lm	A (*)	260,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D54t outdoor 220-240V~ 50/60Hz H 250 Ø 150 C € ♠ ▼ IP65	1D540T000001	black	3 x 2 LED 8W 3000K	A (*)	7.831,00
	D54p ceiling 220-240V~ 50/60Hz I 255 C €	1D540S000001	black	2 LED 8W 3000K	A (*)	1.600,00

D64 LANE alfredo häberli

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D64	1D640000002	white	LED dimmable	A++	181,00
	ceiling/wall dimmable h 8, I 22, s 9	1D640000020	painted alu	₩ R7s Ømax: 22 mm	A++	181,00
* 3	c € ⊕ ∀	1D6400000019	polished	120W HDG R7S	С	210,00
	D64/2 ceiling/wall electronic ballast EEI A2 220-240V~50/60Hz	1D64002E0002	white	54W FD(75) G5	A	350,00
	1220-240V~30/80H2 h 8, l 125, s 9 C € ⊕ ♥	1D64002E0020	painted alu		A	350,00
	D64/3 ceiling/wall electronic ballast EEI A2	1D64003E0002	white	80W FD (175)		399,00
	220-240V~ 50/60Hz h 8, l 155, s 9	1D64003E0020	painted alu	FD (15) G5	A	399,00

D41 LIGHTDISC

	DIOC					to meda, padio rizzatti		
Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.		
	D41/32.22 ceiling/wall transparent diffuser electronic ballast EEI A2 220-240V~50/60Hz	1D41PI220002	white	22W FSC T5 26X13	A	193,00		
	220-240V~ 50/60Hz Ø 32, h 5,5	1D41PI220000	transparent	26X13		193,00		
	D41B/32.22 ceiling/wall opal diffuser electronic ballast EEI A2	1D41PI22B002	white	22W	A	193,00		
	220-240V~ 50/60Hz Ø 32, h 5,5 C € □ ▼ IP65	1D41PI22B000	transparent	22W FSC T5 2GX13		193,00		
D41/40.55 ceiling/wall transparent diffuser electronic ballast EEI 220-240V~50/60Hz Ø 40, h 6,7 C € □ ▼ IP65	ceiling/wall	1D4100550002	white	55W FSC T5	A	281,00		
	Ø 40, n 6,7	1D4100550000 transparent	26X13		281,00			
	D41B/40.55 ceiling/wall opal diffuser electronic ballast EEI A2 220-240V~ 50/60Hz Ø 40, h 6,7 CE I V IP65	1D410055B000	transparent	55W FSC T5 26X13	A	281,00		
	D41/40.55 D ceiling/wall push dim/DALI transparent diffuser electronic ballast EEI A2	1D410055D002	white	55W FSC T5 26X13		374,00		
220-240 Ø 40, h	220-240V~ 50/60Hz Ø 40, h 6,7	1D410055D000	transparent	26X13	A	374,00		
accessories								
	D41/40/03 H 30/180	1D4100/03002	white			105,00		




Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D15 ND floor foot dimmer 220-240V~50/60Hz H 160/200 base Ø 48 C € □ ▼	1D15=1ND0020 1D15=1ND0017	alu	LED dimmable R7s Omax: 22 mm 240W HDG R7s energy saver	A++ A+ A C	382,00
	D15 NA1 wall dimmable h 25 l 18 s 25	1D15A1N00020 1D15A1N00017	alu	LED dimmable R7s Ømax: 22 mm 240W HDG R7s energy saver	A++ A+ A C	139,00

D86 MESH francisco gomez paz

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D86c suspension complete version pushdim including light scenarios 220-240V~ 50/60Hz h 150/190, Ø 100 ceiling rose Ø 30 C € ⊕ ▼	1D860C000001	black	LED 65W 2700K □	A	3.218,00
	D86 suspension h 90 Ø 100 C € ⊕ ▼	1D860000001	black	LED 65W 2700K	A	2.628,00
suspension kit for	D86					
	D86/s3 suspension kit push dim including light scenarios 220-240V~ 50/60Hz I 3 m ceiling rose Ø 30 C € ⊕ ▼	1D860/S30001	black			714,00
	D86/s5 suspension kit push dim including light scenarios 220-240V~50/60Hz 15 m ceiling rose Ø 30 C € ⊕ ▼	1D860/S50001	black			788,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
Mesh Ø 80 cm						
	D86c.pi. suspension complete version pushdim 220-240V~50/60Hz h 120/160, Ø 80 ceiling rose Ø 30	1D860C800001	black	LED 53W 2700K	A	2.531,00
	D86pi. suspension h 60 Ø 80 C € ⊕ ▼	1D8600800001	black	LED 53W 2700K	А	1.943,00
Suspension kit for D	986pi.					
	D86/D3 suspension kit pushdim 220-240V~ 50/60Hz I3 m ceiling rose Ø 30	1D860/D30001	black			651,00
	D86/D5 suspension kit pushdim 220-240V~ 50/60Hz I 5 m ceiling rose Ø 30	1D860/D50001	black			725,00



Calculate the price of the lamp by adding the cost of the body and that of the prismatic glass or polycarbonate diffuser and the respective optical system. For outdoor use only versions polycarbonate. Do not use the polished finish and add accessory kit for IP65.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/17 P polycarbonate diffuser H 8	1D2017P00020	painted alu			144,00
	Ø 17 C €	1D2017P00019	polished			164,00
	D20/17V prismatized glass diffuser H 8	1D2017V00020	painted alu			148,00
	Ø 17 C €	1D2017V00019	polished			172,00
	D20/17.1 optic for D20/17V C € ⊕ ▼	1D2017010000		LED 6W 2700K 470 lm E14 28W HSGSA E14 energy saver	A++ A+ A D	38,00
	D20/17.3 optic for D20/17V dimmable C € ⊕ ▼	1D201703H000		LED 5W G9 Ø16x50 mm 40W HSGST G9 energy saver	A++ A+ A D	46,00
	D20/17.6 optic for D20/17P dimmable trailing edge with wall control 220-240V~ 50/60Hz C € ⊕ ▼	1D2017060000		LED 8W 🔲	A (*)	115,00


Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/27 P polycarbonate diffuser	1D2027P00020	painted alu			179,00
	H 10 Ø 27	1D2027P00019	polished			208,00
	D20/27V prismatized glass diffuser	1D2027V00020	painted alu			192,00
	H 10 Ø 27	1D2027V00019	polished			224,00
	D20/27.1 optic for D20/27V	1D2027010000		LED E27	A++ A+ A	43,00
П	c € ♥			70W HSGSA E27 energy saver	D	
	D20/27.3 EL D20/27.3 EL electronic ballast 230V~ 50Hz	1D202703L000		26W FSQ G24 q-3	A	100,00
(O)	D20/27.9 optic for D20/27P dimmable trailing edge with wall control 220-240V~50Hz C € ⊕ ▼	1D2027090000		LED 17W main power 3000K	A (*)	200,00
	D20/38 P polycarbonate diffuser	1D2038P00020	painted alu			232,00
	diffuser H 12 Ø 38	1D2038P00019	polished			277,00
	D20/38V prismatized glass diffuser	1D2038V00020	painted alu			246,00
	diffuser H 12 Ø 38	1D2038V00019	polished			292,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/38.1 optic for D20/38V C € ⊕ ♥	1D2038010000		LED E27 20/23W FBT E27 105/140W HSGSA E27 energy saver	A++ A+ A D	53,00
	D20/38.2 optic for D20/38V C € ⊕ ♥	1D2038020000		2 x LED E27 2x20/23W FBT E27 2X70W HSGSA E27 energy saver	A++ A+ A D	62,00
	D20/38.4 EL optic for D20/38P and D20/38V electronic ballast EEI A2 220-240V~ 50/60Hz C € ⊕ ▼	1D203804L000		2x26W FSQ G24 q-3	A	155,00
kit for IP65						
	D20/17.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20170A0000				18,00
	D20/27.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20270A0000				21,00
	D20/38.a kit for IP65 only for fluorescent version with polycarbonate diffuser	1D20380A0000				22,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E08110 suspension complete version electronic ballast 12V 220-240V~ 50/60Hz 166,4 Ø 2,5 C	1E0800110002 1E0800110001 1E0800110019	white black polished	5W LED SPOT 3000°K 37° 218 lm	A (*)	255,00 255,00 273,00

D60 MIRANDA


paolo rizzatto



Body	Dimension cm	Item code	Finishes	light source	EEL	ex.V.A.T.
	D60 table dimmer on board h 77,6 base 25x25 220-240V~ 50/60Hz C € □ ▼	1D600=D00020	alu structure	LED E27 dimmable 105/140W HSGSA E27 energy saver	A++ A+ A D	243,00
	D60 t. floor telescopic dimmer on board h 140/182 base 25x25 220-240V~ 50/60Hz	1D600TD00020	alu structure	LED E27 dimmable 105/140W HSGSA E27 energy saver	A++ A+ A D	329,00


diffusers

D60/1 table/floor diffuser 1D600V/01002	opal glass	128,00
---	------------	--------



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D60 pi.D table dimmer on board 220-240V~50/60Hz h 51,3 base 15x15 D60pi./1 diffuser C © □ ▼	1D60P=D00020	alu structure	LED E14 dimmable 42W HSGSA E14 energy saver	D	184,00


diffusori



D75 NOTHING

francisco gomez paz

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D75 floor dimmer on board 220-240V~ 50/60Hz aluminium body steel structure 43 x 32 x 110 C € □ ▼	1D750T000001	black	LED 35W 2700K 1800 lm	A (*)	806,00




Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
_	D72N1 table	1D720=N10002	white			303,00
	dimmer on board head 13 x 10,5 x 2 arms 47 + 42,2 100-240V~ 50/60 Hz	1D720=N10018	mirror	LED 10W 3000K 370 lm	A (*)	314,00
K .	C€ □ ∀	1D720=N10001	black soft-touch			314,00
	D72t floor dimmer on board tunable white head 13 x 10,5 x 2 arms 34 + 90 100-240V~ 50/60 Hz	1D720T000018	mirror	LED 8W 2400-3500K 354 lm @ 3500K	A (*)	326,00

accessories

	1D72/1000002	white	65,00
D72/1 table base 18,5 x 18,5	1D72/1000001	black soft-touch	70,00
	1D72/1000018	mirror	80,00
D72/2	1D72/2000002	white	29,00
l (for use on the table may	1D72/2000001	black soft-touch	29,00
h 4,4, Ø 3	1D72/2000018	mirror	32,00
'	'	· · · · · · · · · · · · · · · · · · ·	<u>'</u>
D72/3	1D72/3000002	white	57,00
clamp (for use on the table max 41mm)	1D72/3000001	black	57,00
h 4,4 	1D72/3000018	mirror	59,00
	table base 18,5 x 18,5 D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3 D72/3 clamp (for use on the table max	D72/1 table base 18,5 x 18,5 1D72/1000001 1D72/1000001 1D72/1000001 1D72/2000002 1D72/2000001 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3 1D72/2000001 1D72/2000001 1D72/2000001 1D72/3000002 1D72/3000002	D72/1 table base 1D72/1000001 black soft-touch mirror

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
		1D72/4000002	white			28,00
	D72/4 wall bracket 5 x 4.5	1D72/4000018	mirror			28,00
		1D72/4000001	black soft-touch			28,00
	1	1 1	1	1		
	D72/5	1D72/5000002	white			40,00
	desk joint (for use on the table max 41mm)	1D72/5000001	black soft-touch			40,00
	h 4,4, Ø 3 - 12,5	1D72/5000018	mirror			42,00
		1D72/6000002	white			40,00
	D72/6 special-CH-adaptor	1D72/6000001	black soft-touch			40,00
		1D72/6000018	mirror			42,00

D71 PETALE odile decq



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71P suspension 136x 83 h 6	1D710P000002	white			1.423,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71PL suspension + LED strip 136 x 83 h 6	1D710P0L0002	white	LED strip 17W 2800K	A (*)	1.743,00
	D71P1 suspension 154,5 x 120 h 6 C € ⊕ ▼	1D710P100002	white			1.746,00
	D71P1L suspension + LED strip 154,5 x 120 h 6 C € ⊕ ▼	1D710P1L0002	white	LED strip 21W 2800K	A (*)	2.092,00
	D71C suspension Ø 120 h 6	1D710C000002	white			1.423,00
	D71CL suspension + LED strip Ø 120 h 6	1D710C0L0002	white	LED strip 18W 2800K	A (*)	1.743,00
optics						
	D71/2 optic on/off 220-240V~ 50/60Hz for D71P - D71P1 - D71C	1D71/2000002		22W FSC T5 20X13 + 40W FSC T5 26X13	A + A	343,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71/2D optic dimmable DALI 220-240V~ 50/60Hz for D7IP - D7IP1 - D7IC	1D71/2D00002		22W FSC T5 26X13 + 40W FSC T5 2GX13	A + A	480,00
	D71/2L optic on/off + low-power LEDs 220-240V~ 50/60Hz for D71PL - D71P1L - D71CL	1D71/20L0002		22W FSC T5 26X13 + 40W FSC T5 26X13 + 18W LED	A + A	441,00
	p71/2DL optic push dim / DALI 220-240V~ 50/60Hz for D7IPL - D7IPIL - D7ICL + low-power LEDs LED not dimmable	1D71/2DL0002		22W FSC T5 26X13 + 40W FSC T5 26X13 + 18W LED	A + A	578,00
	D71/6DL optic LED at direct light push dim / DALI low-power LEDs for D71PL - D71P1L - D71CL 220-240V~ 50/6	1D71/6DL0002		LED 40W 3000K 3400 lm + 18W LED	A++ (*)	563,00
top cover lamp body	,					
	D71/0AC cover for D71C/D71CL	1D71/0AC0002	white			179,00
	D71/0AP cover for D71P/D71PL	1D71/0AP0002	white			179,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71/0AP1 cover for D71P1/D71P1L	1D71/0AP1002	white			190,00

D62 PLISSÈ

inga sempé

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D62 suspension 1 60 - 160 h 30 s 27 H max 225	1D6200000019	silver	7xLED E14 7x12W FB E14 energy saver 7x42W HSGSA E14	A++ A+ A D	946,00 946,00

D30 POD LENS

ross lovegrove


For the free-standing version, compose the lamp by adding the stand and fixed or mobile base, if any, to the diffuser element (D30F).

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D30 F suspension/outdoor h 28,5 Ø 10,5 220-240V~ 50/60 Hz suspension cable in green C © P65	1D300F/40004 1D300F/40013 1D300F/40025	grey terracotta sage green	LED E27 14W FBT E27	A++ A+ A	120,00 120,00 120,00

accessories

D30/1 mobile base Ø 35	1D30/0100020	alu	96,00
D30/2 fixed base H 15 Ø 11	1D30/0200004	grey	29,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
		1D30/04/0104	grey			21,00
	D30/4.1 stem H 35	1D30/04/0113	terracotta			21,00
	1D30/04/0125	sage green			21,00	
п		1D30/04/0204	grey			41,00
	D30/4.2 stem H 120	1D30/04/0213	terracotta			41,00
H 120	25	1D30/04/0225	sage green			41,00
		1D30/04/0304	grey			53,00
	D30/4.3 stem H 180	1D30/04/0313	terracotta			53,00
		1D30/04/0325	sage green			53,00
	D30/5 3 way connector	1D30/0500004	grey			42,00
0						
	D30/6 extra cable 10m	1D30/0600025	green			60,00
	ı	ı	1		1 1	




The fabrics stand out for their "grisaille" appearance and vivid materic texture. Besides the fourcatalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offeredwith a 10% surcharge. See all the options on www.luceplan.com

Calculate the price of the lamp by adding the cost of the structure and that of the corresponding optical system and optional accessories.

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D79/90c	1D7909C000A2	light grey 133			1.752,00
suspension textile ∅ 90 h 45	1D7909C000A3	dark grey 152			1.752,00	
	1D7909C000B2	rust 252			1.752,00	
	c € ∀	1D7909C000B1	sand 242			1.752,00
		1 1	1	1	1 1	
	D79/120c	1D7912C000A2	light grey 133			1.903,00
	suspension textile Ø 117	1D7912C000A3	dark grey 152			1.903,00
	h 45	1D7912C000B2	rust 252			1.903,00
	c € ∀	1D7912C000B1	sand 242			1.903,00
		1D7915C000A2	light grey 133			2.329,00
	D79/150c suspension					
	textile Ø 148,5	1D7915C000A3	dark grey 152			2.329,00
	h 45	1D7915C000B2	rust 252			2.329,00
C € \forall	1D7915C000B1	sand 242			2.329,00	
tics						
	I	1 1	I	1	1 1	

56



Body	Model Dimension cm	Item code	Finishes	Suggested light source	d ee	EEL	Euro ex.V.A.T.
n . 0 .	D79R/10 LED optic 3000K push dim / DALI ceiling rose and suspension cables including	9D7910101700		LED 44W 3000K 3556 lm		A++ (*)	537,00
	D79R/11 LED optic 2700K push dim / DALI ceiling rose and suspension cables including	9D7910101800		LED 44W 2700K		A++ (*)	555,00
accessories							
020		9D7907726000	satin Ø 90 cm				197,00
1	D79R/07 bottom screen	9D7907726100	satin Ø 120 cm				303,00
		9D7907726200	satin Ø 150 cm				321,00
	D79R/09 suspension kits for installation in parallel ropes	9D7909612000	white				19,00

D63 SKY alfredo häberli

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D63a.fluo	1D630A0FL002	white			284,00
R	outdoor electronic ballast EEI A2 220-240V~ 50/60Hz h 16, I 20	1D630A0FL020	alu	26W FSM GX24 q-3	A	284,00
	C € □ ▼ 1P65	1D630A0FL013	chestnut			284,00
	D63a.L	1D630A0LE002	white			347,00
H	outdoor 220-240V~ 50/60Hz h 16, I 20	1D630A0LE020	alu	2xLED E14	A (*)	347,00
	C € ⊕ ▼ 1P65	1D630A0LE013	chestnut			347,00

☐ light source included

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D63t1.fluo	1D630T1FL002	white			356,00
PT	outdoor electronic ballast EEI A2 220-240V~ 50/60Hz h 16, I 20, H 28	1D630T1FL020	alu	26W FSM 6X24 q-3	А	356,00
	C € □ ▼ IP65	1D630T1FL013	chestnut			356,00
D63t1.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 28	D63t1.I	1D630T1LE002	white			419,00
	1D630T1LE020	alu	2xLED E14	A (*)	419,00	
	C € ⊕ ♥ IP65	1D630T1LE013	chestnut			419,00
		100007051.000	leite			434,00
	D63t2.fluo outdoor electronic ballast EEI A2	1D630T2FL002	white	☐ 26W		434,00
	220-240V~ 50/60Hz h 16, I 20, H 70	1D630T2FL020	alu	FSM 6X24 q-3	A	434,00
	C € □ ▼ IP65	1D630T2FL013	chestnut			434,00
67		1D630T2LE002	white			488,00
	D63t2.L outdoor 220-240V~ 50/60Hz h 16, I 20, H 70	1D630T2LE020	alu	₩ 2xLED E14	A (*)	488,00
	C € ⊕ ♥ IP65	1D630T2LE013	chestnut			488,00

D29 SOLAR BUD


ross lovegrove

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D29W outdoor solar energy h 37 Ø 15	1D29W0000000	alu	3 white LED		111,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
220-24 120 x 6 h 18,5		1D890P000002	white	LED 35W 3000K	A	1.608,00
	120 x 62,5 h 18,5	1D890P000035	black/white	1728 lm	(*)	1.643,00
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz	1D890S000002	white	LED 35W 3000K	А	1.608,00
	120 x 62,5 h 35 C € ⊕ ▼	1D890S000035	black/white	1728 lm	(*)	1.643,00

D87 STOCHASTIC

daniel rybakken



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
0	D87CC suspension dimmable trailing edge wall control h120/320 220-240V~50/60Hz	1D870CC00000	alu	LED 25W 3000K 2380 lm	A (*)	630,00
0	D87CW suspension dimmable trailing edge with wall control h 120/320 220-240V~ 50/60Hz	1D870CW00000	alu	LED 25W 2700K	A (*)	630,00

Body Mod Dime	del Jension cm	de Finishes	Suggested light source	EEL	Euro ex.V.A.T.
------------------	-------------------	-------------	------------------------	-----	-------------------

Kit spheres + rods

	D87048 Kit 48 spheres + rods	1D8704800002	opa	ıl white		546,00
		1D8704800018	met	tallized		546,00
		1D8707200002	opa	ıl white		840,00
	D87072 Kit 72 spheres + rods	1D8707200018	met	tallized		840,00

D22 STRIP dante donegani

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
П	D22/1EL	1D22001E0002	white	Î		242,00
	ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x10,5x7	1D22001E0020	painted alu	2x14W FD (T5) G5 ø16	А	252,00
	C € ⊕ ♥ IP40	1D22001E0019	polished	U		290,00
	1	1 1	1	1	1 1	
	D22/2 EL	1D22002E0002	white	1		260,00
	ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x18,6x8,5	1D22002E0020	painted alu	2x24W FD (T5) G5 ø16	A	267,00
	C € ⊕ ♥ IP40	1D22002E0019	polished	U		321,00
	ı	1 1	1		1 1	
	D22/2 EL.E ceiling/wall emergency	1D22002EE002	white	Î		471,00
	electronic ballast EEI A2 220-240V~ 50/60Hz batteries included	1D22002EE020	painted alu	2x14W FD [T5] G5 ø16	А	477,00
	74x18,6x8,5 C € ₩ IP40	1D22002EE019	polished	U		532,00
			1	1	1 1	
	D22/3 EL ceiling/wall	1D22003E0002	white	1		400,00
	electronic ballast EEI A2 220-240V~ 50/60Hz 74X38,6X8,5	1D22003E0020	painted alu	4x24W FD (T5) G5 ø16	А	410,00
	C € ⊕ ▼ IP40	1D22003E0019	polished			469,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D22/4 EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x66,1x8,5	1D22004E0002 1D22004E0020 1D22004E0019	white painted alu polished	6x24W FD (T5) G5 ø16	A	544,00 552,00 649,00




Thanks to the repetition of the three-lobed parts in polycarbonate and the RGB LEDs, Synapse opens up new expressive possibilities, allowing the user to invent countless luminous compositions with simple joining systems.




SYNAPSE COMPOSER

At the webpage synapse.luceplan.com you can download a simple, intuitive software program to generate any Synapse configuration with just a few clicks. Users can thus explore the infinite sizing and lighting potential the system, and request pricing for the compositions they have created.

SUSPENSION VERSION




WALL VERSION



62


COMPOSITION WITH 18 SHELLS



Code	Description	FULL RGB	2/3 RGB	1/3 RGB	NORGB
1D740RR00002	shell RGB	9	6	3	0
1D7400000002	shall dummy	0	3	6	9
1D7400002002	end-cup	2	2	3	3
1D7400036002	power supply kit	1	1	1	0
1D7400001002	power link	2	1	0	0
1D7408001002	suspension kit	2	2	2	2
Total Euro excl. V	A.T.	1.807,00	1.494,00	1.215,00	684,00

(the total price refers to configuration A)


COMPOSITION WITH 24 SHELLS



Code	Description	FULL RGB	2/3 RGB	1/3 RGB	NORGB
1D740RR00002	shell RGB	12	8	4	0
1D7400000002	shell dummy	0	4	8	12
1D7400002002	end-cup	3	3	3	3
1D7400036002	power supply kit	1	1	1	0
1D7400001002	power link	2	- 1	0	0
1D740S001002	suspension kit	2/3	2/3	2/3	2/3
Total Euro excl. \	/.A.T.	2.300,00	1.928,00	1.488,00	864,00

(the total price refers to configuration A)

COMPOSITION WITH 30 SHELLS



Code	Description	FULL RGB	2/3 RGB	1/3 RGB	NORGB
1D740RR00002	shell RGB	15	10	5	0
1D7400000002	shall dummy	0	5	10	15
1D7400002002	end-cup	3	4	4	4
1D7400036002	power supply kit	1	1	- 1	0
ID7400001002	power link	2	1	0	0
1D740\$001002	suspension kit	2	2	2	2
Total Furn evel \	/AT	2 786 00	2 294 00	1795.00	1078 00

(the total price refers to configuration A)



Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D740C1 complete suspension remote controller dimmer to 24 shells ready to be installed (the customer can compose different configurations) CE	1D740RRC1002	complete version 24 shells RGB	24 LED 1W RGB	A (*)	2.305,00
	D740C2 complete suspension remote controller dimmer to 24 shells ready to be installed (the customer can compose different configurations	1D740R0C2002	complete version 24 shells of which 16 RGB and 8 dummy	16 LED 1W RGB	A (*)	1.898,00
	D740RR the package contains: shell basic RGB packing 2 items the price refers to the packaging C	1D740RR00002	white	LED 1W RGB	A (*)	153,00
	br4000 the package contains: shell dummy packing 2 items the price refers to the packaging	1D7400000002	white			60,00
	D740R0 the package contains: 1 shell RGB + 1 shell dummy the price refers to the packaging C € ⊕ ▼	1D740R000002	white	LED 1W RGB	A (*)	107,00
	the package contains: shell basic RGB + shell RGB prepared for wall mounting packing 2 items the price refers to the packaging C	1D74ARR00002	white	LED 1W RGB	A (*)	164,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	b74A00 the package contains: shell dummy + shell dummy prepared for wall mounting packing 2 items the price refers to the packaging C	1D74A0000002	white			70,00
components						
	D74/01 power link 20/24V I 50 cm	1D7400001002				34,00
	D74/02 end-cup packing 9 items	1D7400002002				34,00
0	D74S01 single suspension kit I 3 m	1D740S001002				21,00
36W	D74/36 power supply kit RGB 36W until 30 shells + remote control cavo I 4 m	1D7400036002				252,00
(sow)	D74/60 power supply kit RGB 60W until 54 shells + remote control cable I 4 m	1D7400060002				279,00
100W	power supply kit RGB 100W until 90 shells + remote control cable I 4 m	1D7400100002				335,00

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
The state of the s	D74/101 remote power supply RGB 100W until 90 shells + remote control cable I 4 m	1D7400101002				335,00

D77 TANGO

francisco gomez paz

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE	1D77NTD00001	black	LED 35W 3000K 2345 lm	A (*)	826,00
	floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5	1D77NTDW0001	black	LED 35W 2700K	A (*)	855,00


D17 TITANIA

alberto meda, paolo rizzatto

five pairs of coloured filters included: yellow, green, light blue, violet, red

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D17 suspension up and down 70x27x8 H 100/250 C € □ ▼	1D1700000020	alu	LED E27 Ø max 38 mm L 150 mm 205W HSGST E27 energy saver	A++ A+ A D	321,00

accessories



D17Q QUEEN TITANIA

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D17 q suspension I 140 h 16	1D170QHAL020	alu	2xLED E27 Ø max 38 mm (150 mm) 2x205W HSGST/F E27 energy saver WHSGSA E27 energy saver	A++ A+ A D	841,00

accessories

D17q/01 pair of polycarbonate filter	1D170Q/01010 1D170Q/01006	blue	41,00
	1D170Q/01007	red	41,00
	1D170Q/01011	green	41,00
	1D170Q/01009	violet	41,00
1	1	1	' '
D17q/02 suspension kit h 50/250	1D170Q/02020	alu	171,00

D83 TIVEDO sebastian bergne

Calculate the price of the lamp by adding the cost of the body and that of the holder (base or fixing pin).

Body	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D83 table dimmer on board arms 44,5 + 45,7 head Ø 8,1	1D830=000023	sky blue			224,00
		1D830=000004	light grey	LED 9,5W mid power 3000K	A (*)	224,00
		1D830=000001 1D830=000008	black	523 lm		224,00
	C€ ® ♥	10630=000006	lacquer red			224,00
	D83 pres. table dimmer on board with occupacy sensor arms 44.5 + 45.7 head Ø 8,1	1D830=001023	sky blue	LED 9,5W mid power	A	273,00
		1D830=001004	light grey			273,00
		1D830=001001	black	3000K	(*)	273,00
	c	1D830=001008	lacquer red			273,00

Body Model Item code Finishes Suggested Ight source EEL	
accessories	
1D83/1000023 sky blue	47,00
D83/1 1D83/1000004 light grey	47,00
table base Ø 19	47,00
1D83/1000008 lacquer red	47,00
D83/2	
fixing pin h 2,8 Ø 3 1D83/2000018 polished	26,00

D14 TRAMA

luciano balestrini, paola longhi

Body	Model Dimension cm	Item code	Finishes	Suggested EEL light source	L Euro ex.V.A.T.
	D14 a. ceiling/wall h 17 Ø 64 C € ⊕ ▼	1D14A0000020	alu	3XLED E27 A+ 3X70W HSGSA E27 energy saver A 3x23W FBT E27 D	323,00
	D14 a.pi. ceiling/wall h 16 Ø 50 C € ⊕ ▼	1D14A1PI0020	alu	3XLED E27 A+ 3X42W HS6SA E27 energy saver A B 3x20W FBT E27	268,00
	D14 sa. suspension up and down dimmable trailing edge H 80/170 Ø 64 C € ⊕ ▼	1D14SA000020	alu	LED dimmable R7s 9max: 22 mm 240W AHDG R7s energy saver C	441,00

Model	Description	Gross wheigt Kg	Dimensi L	ion cm	Н	Volume m3
D12 EL	BERENICE table, only structure	3,72	102.5	20	8	0.016
D12 EL pi.	BERENICE small table, only structure	2.88	102.5	20	8	0.016
D12EL pt	BERENICE, fixing pin, only structure	3,714	102,5	20	8	0,016
D12 EL t.	BERENICE floor, only structure	3.84	122	20	8	0.020
D12 EL a.45	BERENICE wall 45/45, only structure	1.05	102.5	20	8	0.016
D12 EL a.pi.	BERENICE small, wall, only structure	0.92	102.5	20	8	0.016
D12/4/2	BERENICE n 2 glass reflector	0.24	11	11	10.5	0.001
D12/5/2	BERENICE n 2 metal reflector	0.17	11	11	10.5	0.001
D12 LED	BERENICE LED, table. only structure	3,814	102,5	20	8	0,016
D13 c.	COSTANZA table, complete	3.13	20.5	77	10	0.016
D13	COSTANZA table, only structure	2.88	20.5	77	10	0.016
D13 i.L	COSTANZA LED table, on/off switch, only structure	3,60	79	20	10	0,017
D13 i.	COSTANZA table, on/off switch, only structure	2.88	20.5	77	10	0.016
D13 i.f.	COSTANZA table, fixed, on/off switch, only structure	2.88	20.5	77	10	0.016
D13 p.t.	COSTANZA table with fixing pin, only structure	1.39	20.5	77	10	0.016
D13 t.c	COSTANZA floor, complete	3.63	20.5	105	10	0.022
D13t.	COSTANZA floor, only structure	3.38	20.5	105	10	0.022
D13t.L	COSTANZA LED floor, only structure	4.00	118	20	10	0,024
D13 t.i.	COSTANZA floor, on/off switch, only structure	3.55	20.5	105	10	0.022
D13 t.i.f.	COSTANZA floor, fixed, on/off switch, only structure	3.81	20.5	139	10	0.028
D13 a.	COSTANZA wall, only structure	1.39	20.5	77	10	0.016
D13 a.i.f.	COSTANZA wall, on/off switch, only structure	1.33	20.5	77	10	0.016
D13 s.	COSTANZA suspension, only structure	1.80	20.5	105	10	0.022
D13 sa.s	COSTANZA up and down, only structure	1.00	19.5	33	21	0.014
D13/1	COSTANZA shade	0,63	104	45.3	1.5	0.007
D13/1/4	COSTANZA n. 4 shade	1,52	104	45.3	1.5	0.007
D13 G t.s	GRANDE COSTANZA floor, dimmer	17,56	195	41	34	0.272
D13 G t.i.s	GRANDE COSTANZA floor, on/off	17,56	195	41	34	0.272
D13 G s.s	GRANDE COSTANZA suspension, dimmer	3.23	54,5	30,5	30,5	0.051
D13 G s.i.s	GRANDE COSTANZA suspension, on/off	3.53	54,5	30,5	30,5	0.051
D13G.air	GRANDE COSTANZA open air	9,40	24	24	213	0,123
D13G/1	GRANDE COSTANZA shade	1,90	30,5	30,5	54,5	0,051
D13G.air/2	GRANDE COSTANZA open air, base	22,00	53	53	12,5	0,035
D13G.air/3	GRANDE COSTANZA open air, stake	1,00	74	13	6,0	0,006

Model	Description	Gross wheigt Kg	Dimens	ion cm	н	Volume m3
D13G.air/4	GRANDE COSTANZA open air, fixed base	0,50	24	22	5,5	0,003
D13E i.	LADY COSTANZA on off, only structure	16,00	144	40	12,5	0,072
D13E d.	LADY COSTANZA dimmer, only structure	16,00	144	40	12,5	0,072
D13E sa.s.	LADY COSTANZA suspension, only structure	1.20	19.5	33	21	0,014
D13E/1	LADY COSTANZA shade	1,00	21,5	21,5	42,0	0,019
D13 pi.	COSTANZINA table, only structure	1.32	67	31	8	0.017
D13 pi.c	COSTANZINA table, complete	1.42	67	31	8	0.017
D13 pi.p.t.	COSTANZINA with fixing pin, only structure	0.93	67	31	8	0.017
D13 a.pi.	COSTANZINA wall, only structure	0.93	67	31	8	0.017
D13 s.pi.	COSTANZINA up and down, only structure	0.97	67	31	8	0.017
D13 pi/1	COSTANZINA shade	0.27	29	65.5	1.5	0.003
D13 p/1/4	COSTANZINA n. 4 shade	0.60	29	65.5	1.5	0.003
D14 sa.	TRAMA suspension, up and down	4.80	68.5	68.5	22	0.103
D14 a.	TRAMA ceiling/wall	4.65	68.5	68.5	22	0.103
D14 a.pi.	TRAMA ceiling/wall, small	3.29	59	59	21	0.073
D15 d.	LOLA floor, dimmer	4.70	149	19.5	12	0.035
D15 a.1	LOLA wall	0.48	41	19	12	0.009
D17	TITANIA suspension	2.22	78	38	13	0.039
D17 Q	QUEEN TITANIA suspension	10.70	173	27	70	0.327
D17 Q/01	QUEEN TITANIA filters	0,17	45	13	20	0,001
D17 Q/02	QUEEN TITANIA suspension kit	2,75	13,5	18	15,5	0,004
D19L.led	BAP LED	1,68	67	31	7,5	0,016
D19/1	BAP table base	2.75	31.5	22.5	6	0.004
D19/2	BAP surface mount	0.11	8	8	3	0.001
D19/3	BAP wall mount	0.04	5	5	3	0.001
D20/17 P	METROPOLI 17 polycarbonate	1.05	21	21	14	0.006
D20/17 V	METROPOLI 17 glass	1.15	21	21	14	0.006
D20/17.1	METROPOLI 17 reflector 1xE14	0.16	14.5	14.5	11	0.002
D20/17.3	METROPOLI 17 reflector 1xGY6.35	1.23	14.5	14.5	11	0.002
D20/17.6	METROPOLI 17 reflector LED 1x8W	0,5	14,5	14,5	11	0,002
D20/17.a	METROPOLI 17 kit for IP65	0.16	14.5	14.5	11	0.002
D20/27 P	METROPOLI 27 polycarbonate	2.23	31	31	20	0.019
D20/27 V	METROPOLI 27 glass	2.70	31	31	20	0.019
D20/27:1	METROPOLI 27 reflector 1xE27	0.42	22.5	22.5	8	0.004

Model	Description	Gross wheigt Kg	Dimensi L	ion cm	Н	Volume m3
D20/27.3 EL	METROPOLI 27 reflector 1xG24 q3 fluo EL	0.89	22.5	22.5	8	0.004
D20/27.9	METROPOLI 27 reflector LED 1x17W	0,5	22,5	22,5	8	0,004
D20/27.a	METROPOLI 27 kit for IP65	0.16	14.5	14.5	11	0.002
D20/38 P	METROPOLI 38 polycarbonate	3.97	43	43	21.5	0.040
D20/38 V	METROPOLI 38 glass	4.84	43	43	21.5	0.040
D20/38.1	METROPOLI 38 reflector 1xE27	0.68	30	30	8.5	0.008
D20/38.2	METROPOLI 38 reflector 2xE27	0.74	30	30	8.5	0.008
D20/38.4 EL	METROPOLI 38 reflector 2xG24 q3 fluo EL	1.65	30	30	8.5	0.008
D20/38.a	METROPOLI 38 kit for IP65	0.18	14.5	14.5	11	0.002
D22/1EL	STRIP "1" 2x13W G5	4.28	85	16	17	0.023
D22/2 EL	STRIP "2 EL" - 2x24W G5	5.38	85	23	16	0.031
D22/2 EL.E	STRIP "2 EL" - 2x14W G5 emergency	6,08	85	23	16	0.031
D22/3EL	STRIP "3 EL"-4x28WG5	11.00	85	51	20	0.087
D22/4 EL	STRIP "4 EL" 6x28W G5	15.78	85	78	20	0.133
D28	BLOW dimmable electronic structure	5.50	29	29	49.5	0.042
D28/1-D28/2	BLOW Blades set	1.27	74	13	6	0.006
D28 r	BLOW remote control	0.14	12	13.5	3	0.001
D29W	SOLAR BUD with batteries	0.53	30	15	10	0.005
D30 F	POD LENS basic element, fluorescent 23W	0.78	30	15	10	0.005
D30/1	POD LENS base mobile	2.91	42.5	36	5	0.008
D30/2	POD LENS mobile base	0,27	17,5	13,5	12	0.003
D30/4.1	POD LENS stem H 35 cm.	0.15	8	8	39	0.002
D30/4.2	POD LENS stem H 120 cm.	0.50	8	8	124	0.008
D30/4.3	POD LENS stem H 180 cm.	0.75	8	8	184	0.012
D30/5	POD LENS 3 way connector	0.21	17,5	13,5	12	0.003
D30/6	POD LENS extra cable 10 mt.	1.11	42.5	36	5	0.008
D31 P	GLASSGLASS small structure	1.94	40	40	16	0.026
D31 P/1	GLASSGLASS diffuser small P/1	3.00	40	40	39	0.062
D31 P/2	GLASSGLASS diffuser small P/2	4.91	50	50	41.5	0.104
D31 P/5	GLASSGLASS diffuser small P/5	6.58	50	50	59	0.148
D31 P/9	GLASSGLASS diffuser small P/9	4,00	40	40	39	0.062
D31 G	GLASSGLASS large structure	2.07	40	40	16	0.026
D31 G/1	GLASSGLASS diffuser large G/1	7.01	50	50	65	0.163
D31 G/2	GLASSGLASS diffuser large G/2	4.44	40	40	39	0.062

Model	Description	Gross wheigt Kg	Dimensi L	ion cm	н	Volume m3
D33N.100 - 100D	FORTEBRACCIO 100W E27	2,63	30	82	20	0,049
D33Nt.100D	FORTEBRACCIO floor 60W E14	2,63	30	82	20	0,049
D33N.sp.60	FORTEBRACCIO spot 60W E14	1,24	30	39	20	0,023
D33N.sp.100	FORTEBRACCIO spot 100W E27	1,29	30	39	20	0,023
D33N. led	FORTEBRACCIO LED 7,8W	2,63	30	82	20	0,049
D33N/1	FORTEBRACCIO base	4,88	30	30	11	0,010
D33N/3	FORTEBRACCIO universal joint	0.27	24	12.4	7.2	0.002
D33N/4	FORTEBRACCIO clamp	0,21	24	12,4	7,2	0,002
D33N/5	FORTEBRACCIO desk joint	0,35	24	22	5,5	0,003
D37	СНІСНІВІО	5.27	198	10	10	0.065
D38	CARRARA	22.6	195	41	34	0.272
D41/32.22	LIGHTDISC 32 22W	1.32	33	33	7.5	0.008
D41/40.55	LIGHTDISC 40 55W	2.16	41.5	41.5	9	0.016
D45 dl EL	HAPPY HAPPY dark light, electronic	6,45	27	155	30	0,126
D45 EL	HAPPY HAPPY with diffuser	6,18	27	155	30	0,126
D49/17s	AGAVE 17 suspension	4.38	49	36	21	0.037
D49/26s	AGAVE 26 suspension	6.16	49	36	25	0.044
D49/26s EL	AGAVE 26 suspension electronic	6.43	49	36	25	0.044
D49/70s EL	AGAVE 70 suspension	8.00	62	32	37	0.073
D50	AIRCON suspension	3.50	100	87	10	0.044
D52	GOGGLE 60W E14	0.89	34.5	18.5	15.0	0.010
D60	MIRANDA only structure, dimmer	2,73	76,0	27,0	10,5	0,022
D60 t	MIRANDA only structure, floor, dimmer	5,90	138,0	27,0	10,5	0,039
D60/01	MIRANDA diffuser, table/floor	2,58	41,0	41,0	26,0	0,044
D60pi.D	MIRANDOLINA only structure, dimmer	1,09	57,0	17,0	10,5	0,011
D60pi/01	MIRANDOLINA diffuser, table	1,18	28,0	28,0	18,0	0,014
D62	PLISSE' suspension	7,70	62,0	32,0	37,0	0,073
D63a.led-fluo	SKY ceiling/wall	1,50	26.0	25,0	24.0	0,015
D63t1.fluo-Led	SKY floor 28cm	2,4	26	40	24	0,025
D63t2.fluo-Led	SKY floor 70cm	4,5	26	80	24	0,05
D64	LANE 22cm halogen 150W	1,09	33	20	15	0,01
D64/2	LANE 125cm 54W electronic	3,75	143	20	15	0,043
D64/3	LANE 155cm 80W electronic	4,6	173	20	15	0,052
D66/12	HOPE suspension Ø 61cm	3,60	35	35	39	0,048
		-				

Model	Description	Gross wheigt	Dimension cm			Volume
Deeus	HODE quanancian (6.70 cm	Kg	40	40	H 20	m3 0,062
D66/18	HOPE suspension Ø 72 cm	4,80	40	40	39	
D66/18 EL D	HOPE suspension Ø 72 cm electronic ballast	5,20	40	40	38	0,062
D66/42	HOPE suspension Ø 110 cm	13,65	82,5	83,5	43	0,296
D66/105	HOPE suspension Ø 200 cm	36,60	82,0	54	145	0,645
D66/8 td	HOPE Ø 51 floor	8,30	32	26	178	0,148
D66/18 td	HOPE Ø 72 floor, only structure	5,00	40	40	40	0,064
D66/18 T.1	HOPE floor, stem	3,60	8	8	183	0,012
D66/3a	HOPE wall Ø 48 cm	2,30	47	34	10	0,016
D66/8a	HOPE wall Ø 61 cm	3,60	35	35	39	0,048
D66/12p	HOPE ceiling Ø 69 cm	4,50	50	50	23	0,057
D66/30p	HOPE ceiling Ø 109 cm	12,00	82,5	83,5	43	0,296
D67p LED	ECRAN IN & OUT	0,98	26	25	24	0,016
D68L	ARCHETYPE	2,90	40	40	39	0,062
D69	ANY I 23 LED	1,10	33	15	20	0,010
D69/01	ANY138	2,10	47	20	15	0,014
D69/02	ANY163	2,20	77	17,5	13	0,020
D69/03	ANY I 120	4,30	143	20	15	0,043
D70K/3N1	HONEYCOMB complete version 3 bodies	4,66	40	31	43,5	0,054
D70K/4N1	HONEYCOMB complete version 4 bodies	6,40	40	31	53,5	0,066
D70C/1	HONEYCOMB 1 body + 3 attachments	1,15	40	30	10	0,012
D70C/3	HONEYCOMB 3 bodies + 9 attachments	2,19	38	30	30	0,036
D70L/1	HONEYCOMB optic LED 3x8W	1,77	40	30	10	0,012
D70L/2	HONEYCOMB optic LED 6x8W	2,36	40	30	10	0,012
D70S	HONEYCOMB suspension kit	0.70	40	30	3	0,003
D71P	PETALE suspension ecophon 136 x 83 cm	6.50	135	135	15	0,274
D71PL	PETALE suspension ecophon + led strip 136 x 83 cm	7,00	135	135	15	0,274
D71P1	PETALE suspension ecophon 154,5 x 120 cm	11,5	174	135	15	0,300
 D71P1L	PETALE suspension ecophon + led strip 154,5 x 120 cm	11,0	174	135	15	0,300
D71C	PETALE suspension ecophon Ø 120	7,00	135	135	15	0,274
D71CL	PETALE suspension ecophon + led strip Ø 120	7,50	135	135	15	0,274
D71/2	PETALE on/off optic 22W+40W	3,59	50	50	23	0,058
D71/2D	PETALE DALI optic 22W+40W	3,59	50	50	23	0,058
D71/2L	PETALE on/off optic 22W+40W + led strip	3,59	50	50	23	0,058
	<u>`</u>					
D71/2DL	PETALE DALI optic 22W+40W + led strip	3,59	50	50	23	0,058

Model	Description	Gross wheigt Kg	Dimensi L	on cm I	Н	Volume m3
D71/6DL	PETALE DALI LED optic 40W + led strip	3,59	50	50	23	0,058
D72N1	OTTO WATT only structure	1,70	120	20	10	0,024
D72 t.	OTTO WATT floor, only structure	1,70	150	20	10,5	0,024
D72/1	OTTO WATT table base	3,17	24	24	11,5	0,006
D72/2	OTTO WATT fixing pin	0,70	15	10	5	0,001
D72/3	OTTO WATT clamp	0,70	15	10	5	0,001
D72/4	OTTO WATT wall mount	0,20	15	10	5	0,001
D72/5	OTTO WATT desk joint	0,80	24	22	5,5	0,002
D73	COUNTERBALANCE LED 15W	10,00	31	19	214	0,126
D73a.	COUNTERBALANCE Spot LED 15W	1,40	34,5	19	15	0,009
D73t.	COUNTERBALANCE floor LED 15W	2,50	175	17	14,5	0,049
D73/1	COUNTERBALANCE floor base	3,50	26	25	24	0,016
D74 C1/C2	SYNAPSE suspension complete 24 modules	10,00	68	33	60	0,135
D74	SYNAPSE shell module (packing 2 items)	0,66	31,5	33	8	0,008
D74/01	SYNAPSE power link	0,30	12,6	13	5,8	0,001
D74/02	SYNAPSE end-cap (packing 9 items)	0,40	12,6	13	5,8	0,001
D74/S01	SYNAPSE single suspension kit	0,40	12,6	13	5,8	0,001
D74/36	SYNAPSE power supply kit 36W	1,070	31,5	33	8	0,009
D74/60	SYNAPSE power supply kit 60W	2,050	40,0	30	10	0,009
D74/100	SYNAPSE power supply kit 100W	2,050	40,0	30	10	0,009
D74/101	SYNAPSE remote power supply100W	2,050	40,0	30	10	0,009
D75	NOTHING	1,40	71	40	5,5	0,016
D76	CURL LED 8W	1,50	30	33	32	0,032
D77t	TANGO floor sensor dimmer	6,40	180	40	40	0,288
D78	ASCENT LED 10W table base	2,27	80	20	15	0,020
D78 p.t.	ASCENT LED 10W fixing pin	1,21	80	20	15	0,020
D79/90c	SILENZIO suspension Ø 90	21,00	104	104	55,5	0,600
D79/120c	SILENZIO suspension Ø 117	27,00	134	134	55,5	0,864
D79/150c	SILENZIO suspension Ø 148,5	36,00	164	164	55,5	1,350
D79R/03	SILENZIO optic 3xE27	1,20	53	53	12,5	0,035
D79R/10	SILENZIO optic LED 44W 3000K	1,20	31	31	20	0,019
D79R/11	SILENZIO optic LED 44W 2700K	1,20	31	31	20	0,019
D80	ILLUSION	1,05	30	30	11	0,006
D81tn - tnw	COMPENDIUM LED floor dimmable	3,50	178	14	14	0,049

Model	Description	Gross wheigt Kg	Dimens L	ion cm I	Н	Volume m3
D81/1	COMPENDIUM base	4,50	26	25	24	0,009
D81s	COMPENDIUM LED suspension	3,40	178	14	14	0,024
D83	TIVEDO table dimmable	1,70	118	15,5	6,5	0,011
D83pres.	TIVEDO table dimmable, occupacy sensor	1,70	118	15,5	6,5	0,011
D83/1	TIVEDO table base	2,20	25	25	3	0,002
D83/2	TIVEDO fixing pin	0,16	10	7	6	0,001
D86c	MESH suspension complete version	7,50	104	104	55,5	0,600
D86	MESH suspension	6,10	104	104	55,5	0,600
D86/s3	MESH suspension kit 3m for D86	1,50	40	35,5	12	0,017
D86/s5	MESH suspension kit 5m for D86	1,50	40	35,5	12	0,017
D86c pi.	MESH suspension Ø 80cm, complete version	6,50	85	85	52	0,376
D86 pi.	MESH suspension Ø 80cm	4,90	85	85	52	0,376
D86/D3	MESH suspension kit 3m for D86 pi.	1,50	40	35,5	12	0,017
D86/D5	MESH suspension kit 5m for D86 pi.	1,50	40	35,5	12	0,017
D87CC-CW	STOCHASTIC only structure LED	6,10	101	40	23	0,093
D87048	STOCHASTIC Kit 48 spheres + rods	6,15	101	40	24	0,097
D87072	STOCHASTIC Kit 72 spheres + rods	8,00	101	40	34	0,137
D88	CAPPUCCINA table only structure	3,50	29	29	73	0,061
D88t	CAPPUCCINA floor only structure	4,40	143	38	21	0,114
D88s	CAPPUCCINA suspension only structure	3,10	29	29	65	0,054
D88/1	CAPPUCCINA shade Ø 36cm	1,76	41	41	26	0,043
D88/2	CAPPUCCINA shade Ø 45 cm	2,00	50	50	28	0,07
D89p	SOLEIL NOIR ceiling	7,50	126	70	41	0,362
D89s	SOLEIL NOIR suspension	7,50	126	70	41	0,362
D90	GARBí applique	1,22	24	22,5	9,5	0,005
D93SDDC-DLC	DIADE suspension only structure 120 cm	6,27	146	25	16	0,058
D93SDDL-DLL	DIADE suspension only structure 180 cm	9,3	206	25	16	0,082
D93/1	DIADE pair of panels 120 cm	9,5	130	69	16	0,144
D93/3	DIADE pair of panels 180 cm	14,2	190	69	16	0,21
D93/5	DIADE kit vertical supports	0,5	11	9	8	0,001
D93/6	DIADE kit horizontal supports	1,4	31	16	11	0,006

GENERAL CONDITION OF SALE

1. OFFER, CONFIRMATION OR AGREEMENT

These terms and conditions of commercial sale of Philips Lighting Italy S.p.A. (the "Terms and Conditions") apply to and form an integral part of all quotations and offers made by Philips Lighting Italy S.p.A. ("Philips Lighting Italy"), all acceptances, acknowledgements and confirmations by Philips of any orders by Buyer and any agreements ("Agreements") regarding the sale by Philips and purchase by Buyer of goods and services ("Products"), unless and to the extent Philips explicitly agrees otherwise.

Any terms and conditions set forth on any document or documents issued by Buyer either before or after issuance of any document by Philips setting forth or referring to these Terms and Conditions are hereby explicitly rejected and disregarded by Philips Lighting Italy, and any such terms shall be wholly inapplicable to any sale made by Philips Lighting Italy to Buyer and shall not be binding in any way on Philips Lighting Italy.

Philips Lighting Italy' offers are open for acceptance within the period stated by Philips Lighting Italy in the offer or, when no period is stated, within thirty (30) days from the date of the offer, but any offer may be withdrawn or revoked by Philips Lighting Italy at any time prior to the receipt by Philips Lighting Italy of Buyer's acceptance thereof.

2. PRICING

Prices in any offer, confirmation or Agreement are in Euros, and unless agreed otherwise in writing between Buyer and Philips Lighting Italy,do not include any taxes, duties or similar levies, now or hereafter enacted, applicable to the Products. Philips Lighting Italy will add taxes, duties and similar levies to the sales price where Philips Lighting Italy is required or enabled by law to pay or collect them and these will be paid by Buyer together with the price, including without limitation, costs concerning the application the Legislative Decree 151/2005 (WEEE Directive) about waste of electric and electronic appliances.

All Agreements under 350 Euro net prices are subject to a 40 Euro surcharge as partial contribution to the freight expenses. Additional surcharges will be applied for any overseas deliveries.

Unless otherwise agreed in writing between Philips Lighting Italy and the Buyer, prices shall be those applicable at the date of the Agreement and mentioned in the annual price list ("Price List").

Philips Lighting Italy shall have the right to adjust the prices set forth in the Price List due to increases in costs for raw materials, labor and manufacturing costs in general, provided that only increases that impact the prices on the Price List with 10% (ten percent) or more will be considered for the purposes of this clause.

Philips Lighting Italy will provide to Buyer a written notice thirty (30) day' prior to the effective implementation of the price increase, provided that orders already issued and accepted by Philips Lighting Italy will not be affected by the price increase.

Philips Lighting Italy will use its best efforts to evidence to the Buyer the source and cause of the price increase to be implemented in the Price List. As an example, the variation of the market price of Phosphor/kilo and other metals used as raw materials by Philips Lighting Italy can be verified at the following webpage: http://www.metal-pages.com/metalprices/rareearths/.

3. PAYMENT

(a) Unless agreed otherwise between Philips Lighting Italy and Buyer in writing, Philips Lighting Italy may invoice Buyer for the price of the Products delivered upon delivery of the Products in accordance with the applicable INCOTERM. Net payment is due within thirty (30) days of date of invoice unless agreed otherwise between Philips Lighting Italy and Buyer in writing. All payments shall be made to the designated Philips Lighting Italy address. If deliveries are made in installments, each installment may be separately invoiced and shall be paid for when due. No discount is allowed for early payment unless agreed to in writing by Philips Lighting Italy. In addition to any other rights and remedies Philips Lighting Italy may have under applicable law, interest will accrue on all late payments, as per art. 5 of the Legislative Decree 231/2002, at a rate equal to the official ECB rate plus 7% or to the extent permitted by applicable law, from the due date until payment in full.

(b) All deliveries of Products agreed to by Philips Lighting Italy shall at all times be subject to credit approval of Philips Lighting Italy. If, in Philips Lighting Italy judgment, Buyer's financial condition at any time does not justify production or delivery of Products on the above payment terms, Philips Lighting Italy may require full or partial payment in advance or other payment terms as a condition to delivery, and Philips Lighting Italy may suspend, delay or cancel any credit, delivery or any other performance by Philips Lighting Italy.

(c) In the event of any default by Buyer in the payment of any fees or charges due, or any other default by Buyer, Philips Lighting Italy shall have the right to refuse performance and/or delivery of any Products until payments are brought current and Philips Lighting Italy may suspend, delay or cancel any credit, delivery or any other performance by Philips Lighting Italy.

Such right shall be in addition to, and not in lieu of, any other rights and remedies available under the Agreement or at law.

4. DELIVERY AND QUANTITIES

(a) Products shall be delivered Ex-Works (INCOTERMS latest version) as designated by Philips Lighting Italy, unless otherwise agreed in writing. Delivery dates communicated or acknowledged by Philips Lighting Italy are approximate only, and Philips Lighting Italy shall not be liable for, nor shall Philips Lighting Italy be in breach of its obligations to Buyer, for any delivery made within a reasonable time before or after the communicated delivery date. Philips Lighting Italy agrees to use commercially reasonable efforts to meet the delivery dates communicated or acknowledged by it on the condition that Buyer provides all necessary order and delivery information sufficiently prior to the such delivery date.

(b) Buyer will give Philips Lighting Italy written notice of failure to deliver and thirty (30) days within which to cure. If Philips Lighting Italy does not deliver within such thirty (30) day period, Buyer's sole and exclusive remedy is to cancel the affected and undelivered portions of the Agreement. (c) Unless otherwise agreed and specified, Products are always transported at the Buyer's risk, even if they are delivered at Philips Lighting Italy costs. It is the Buyer's responsibility to examine the Products upon receipt and file any claim directly with the carrier, without considering Philips Lighting Italy responsible of any damage or shortage occurred after delivering the Products to the carrier.

(d) If Buyer fails to take delivery of Products ordered, then Philips Lighting Italy may deliver the Products in consignment at Buyer's cost.

(e) In the event Philips Lighting Italy' production is curtailed for any reason, Philips Lighting Italy shall have the right to allocate its available production and Products among its various customers and as a result may sell and deliver to Buyer fewer Products than specified in the Agreement, as the case may be.

5. FORCE MAJEURE

Philips Lighting Italy shall not be liable for any failure or delay in performance if:

(i) such failure or delay results from interruptions in the Product manufacturing process; or

(ii) such failure or delay is caused by Force Majeure as defined below or by law.

In case of such a failure as set forth above, the performance of the relevant part(s) of the Agreement will be suspended for the period such failure continues, without Philips Lighting Italy being responsible or liable to Buyer for any damage resulting therefrom.

The expression "Force Majeure" shall mean and include any circumstances or occurrences beyond Philips Lighting Italy' reasonable control—whether or not foreseeable at the time of the Agreement—as a result of which Philips Lighting Italy cannot reasonably be required to execute its obligations including force majeure and/or default by one of Philips Lighting Italy' suppliers. In the event that the Force Majeure extends for a period of three (3) consecutive months (or in the event that the delay is reasonably expected by Philips Lighting Italy to extend for a period of three (3) consecutive months), Philips Lighting Italy shall be entitled to cancel all or any part of the Agreement without any liability towards Buyer.

6. RIGHTS IN SOFTWARE, DOCUMENTATION AND INTELLECTUAL PROPERTY

6.1. Subject to the provisions set forth herein, the sale by Philips Lighting Italy of a Product implies the non-exclusive and non-transferable limited license to Buyer under any of Philips Lighting Italy' and/or its affiliates' intellectual property rights in the territory to use and resell Products as sold by Philips Lighting Italy to Buyer.

To the extent that software and/or documentation is embedded in or delivered with a Product, the sale of such Product shall not constitute the transfer of ownership rights or title in such software and/or documentation to Buyer,

but, subject to the provisions set forth herein, shall only imply a non-exclusive and non-transferable license to Buyer under Philips Lighting Italy intellectual property rights to use such software and/or documentation in conjunction with and as embedded in or delivered with the Products as supplied by Philips Lighting Italy in the territory.

6.2. Buyer shall not: (a) modify, adapt, alter, translate, or create derivative works from any software residing in or provided by Philips Lighting Italy in conjunction with any Products; (b) assign, sublicense, lease, rent, loan, transfer, disclose, or otherwise make available such software; (c) merge or incorporate such software with or into any other software; or (d) reverse assemble, decompile, disassemble, or otherwise attempt to derive the source code for such software without written authorization from Philips Lighting Italy except as explicitly allowed under applicable law. Buyer shall reproduce, without any amendments or changes thereto, any proprietary rights legends of Philips Lighting Italy and/or its affiliates or its third party suppliers in any software or documentation provided by Philips Lighting Italy. License terms of third parties may apply.

6.3. Buyer can use Luceplan's logo and trademark ("the Trademark") on promotional material published in Italy to advertise the sale of Products at Buyer's stores and/or on Buyer's website. Buyer shall use the Trademark for the limited purpose of advertising the Products and within the limits of such advertisement, for information purposes and just to identify the Products in the sale activity. Buyer acknowledges the Trademark is Philips Lighting Italy' exclusive industrial property and any and every right arising from its use and/or registration belongs to Philips Lighting Italy. Buyer shall not register and/or use names (in its own name or of third parties) similar or identical to the Trademark, shall not have any exclusive right, shall not permit the appropriation of the Trademark or of similar logo and shall not transfer nor assign to third parties the rights of use of the Trademark. Buyer shall reproduce or use the Trademark faithfully with respect to the images supplied by Philips Lighting Italy and without affecting Philips Lighting Italy in any way: any different use from the above mentioned shall lead to the termination with immediate effect of the right to use the Trademark. The above without prejudice to Philips Lighting Italy' right to withdraw the authorization any time. The authorization will be however revoked upon Buyer's ceasing purchasing Products from Philips Lighting Italy or its authorized resellers.

7. LIMITED WARRANTY AND DISCLAIMER

(a) Philips Lighting Italy warrants that under normal use in accordance with the applicable user manual the Products, (excluding any software that is not embedded in a Product by Philips Lighting Italy) shall, at the time of delivery to Buyer and for a period of twenty-four (24) months from the date of delivery (or such other period as may be agreed upon in writing by the parties), be free from defects in material or workmanship and shall substantially conform to Philips Lighting Italy' specifications for such Product, or such other specifications as Philips Lighting Italy has agreed to in writing, as applicable. Philips Lighting Italy' sole and exclusive obligation, and Buyer's sole and exclusive right, with respect to claims under this warranty shall be limited, at Philips Lighting Italy' option, either to the replacement or repair of a defective or non-conforming Product or to an appropriate credit for the purchase price thereof. Philips Lighting Italy will have a reasonable time to repair, replace or credit. The non-conforming or defective Products shall become Philips Lighting Italy' property as soon as they have been replaced or credited.

(b) Claims for any unconformity to the Agreement or evident Product defect must be made in writing within eight (8) days from the receipt of the Products. The written notification must include the number and date of the forwarding bill. Returns of Products will not be accepted without the prior written consent of Philips Lighting Italy.

(c) Buyer may ship Products returned under warranty to Philips Lighting Italy' designated facility only in conformance with Philips Lighting Italy' thencurrent return material authorization policy. Where a warranty claim is justified, Philips Lighting Italy will pay for freight expenses. Buyer shall pay for returned Products that are not found to be defective or non-conforming together with the freight, testing and handling costs associated therewith. (d) Notwithstanding the foregoing, Philips Lighting Italy shall have no obligations under warranty if the alleged defect or non-conformance is found to have occurred as a result of environmental or stress testing, misuse, use other than as set forth in the user manual, neglect, improper installation or accident, or as a result of improper repair, alteration, modification, storage, transportation or improper handling.

(e) The express warranty granted above shall extend directly to Buyer and not to Buyer's customers, agents or representatives and is in lieu of all other warranties, whether express or implied, including without limitation any implied warranties of fitness for a particular purpose, merchantability, or non-infringement of intellectual property rights. With the only exception of willful misconduct and gross negligence, all other warranties are hereby specifically disclaimed by Philips Lighting Italy.

(f) Subject to the exclusions and limitations set forth in Section 9 of the Terms and Conditions, the foregoing states the entire liability of Philips Lighting Italy in connection with defective or non-conforming Products supplied hereunder.

8. INTELLECTUAL PROPERTY RIGHTS INDEMNITY

(a) Philips Lighting Italy, at its sole expense, shall: (i) defend any legal proceeding brought by a third party against Buyer to the extent that the proceeding includes a claim that any Product as furnished by Philips Lighting Italy under an Agreement

directly infringes the claimant's patent, copyright, trademark, or trade secret; and (ii) hold Buyer harmless against damages and costs awarded by final judgment in such proceeding to the extent directly and solely attributable to such infringement.

(b) With the only exception of willful misconduct and gross negligence, Philips Lighting Italy shall have no obligation or liability to Buyer under Section (a) (1) if Philips Lighting Italy is not: (i) promptly notified in writing of any such claim; (ii) given the sole right to control and direct the investigation, preparation, defense and settlement of such claim, including the selection of counsel; and (iii) given full reasonable assistance and cooperation by Buyer in such investigation, preparation, settlement and defense; (2) if the claim is made after a period of three (3) years from the date of delivery of the Product.

(c) If any Product is, or in Philips Lighting Italy's opinion is likely to become, the subject of a claim of infringement as referred to under Section 8 (a) above, Philips Lighting Italy shall have the right, without obligation and at its sole option, to: (i) procure for Buyer the right to continue to use or sell the Product; (ii) provide replacement Product, or (iii) modify the Product in such a way as to make the modified Product non-infringing; or (iv) terminate any Agreement to the extent related to such Product.

(d) Subject to the exclusions and limitations set forth in Section 9 of the Terms and Conditions, the foregoing states Philips Lighting Italy's entire liability and obligation to Buyer and Buyer's sole remedy with respect to any actual or alleged infringement of any intellectual property rights or any other proprietary rights of any kind.

9. LIMITATION OF LIABILITY

(a) WITH THE ONLY EXCEPTION OF WILFUL MISCONDUCT OR GROSS NEGLIGENCE, PHILIPS LIGHTING ITALY SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOST SAVINGS, LOSS OF REPUTATION, LOSS OF GOODWILL, INDIRECT, INCIDENTAL, PUNITIVE, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE AGREEMENT OR THE SALE OF ANY PRODUCTS OR SERVICES BY PHILIPS LIGHTING ITALY OR THE USE THEREOF WHETHER OR NOT SUCH DAMAGES ARE BASED ON TORT, WARRANTY, CONTRACT OR ANY OTHER LEGAL THEORY – EVEN IF PHILIPS LIGHTING ITALY HAS BEEN ADVISED, OR IS AWARE, OF THE POSSIBILITY OF SUCH DAMAGES.

PHILIPS LIGHTING ITALY'S AGGREGATE AND CUMULATIVE LIABILITY TOWARDS BUYER UNDER ANY AGREEMENT SHALL NOT EXCEED AN AMOUNT OF TEN PERCENT (10%) OF THE RELATED AGREEMENT.

(b) Any Buyer's claim for damages must be brought by Buyer within ninety (90) days of the date of the event giving rise to any such claim, and any lawsuit relative to any such claim must be filed within one (1) year of the date of the claim. Any claims that have been brought or filed not in accordance with the preceding sentence are null and void.

(c) The limitations and exclusions set forth above in this Section 9 shall apply only to the extent permitted by applicable mandatory law.

10. CONFIDENTIALITY

Buyer acknowledges that all technical, commercial and financial data disclosed to Buyer by Philips Lighting Italy and/or its affiliates is the confidential information of Philips Lighting Italy and/or its affiliates. Buyer shall not disclose any such confidential information to any third party and shall not use any such confidential information for any purpose other than as agreed by the parties and in conformance with the purchase transaction contemplated herein.

11. EXPORT/IMPORT CONTROLS

Buyer understands that certain transactions of Philips Lighting Italy are subject to export control laws and regulations, such as but not limited to the UN, EU and the USA export control laws and regulations ("Export Regulations") which prohibit export or diversion of certain products and technology to certain countries. Any and all obligations of Philips Lighting Italy to export, re-export or transfer Products as well as any technical assistance, training, investments, financial assistance, financing and brokering will be subject in all respects to such Export Regulations and will from time to time govern the license and delivery of Products and technology abroad by persons subject to the jurisdiction of the relevant authorities responsible for such Export Regulations. If the delivery of products, services and/or documentation is subject to the granting of an export or import license by certain governmental authorities or otherwise restricted or prohibited due to export/import control regulations, Philips Lighting Italy may suspend its obligations and the Buyer's/end-user's rights until such license is granted or for the duration of such restrictions or prohibitions. Furthermore, Philips Lighting Italy may even terminate the relevant order in all cases without incurring any liability towards the Buyer or end-user. Buyer warrants that it will comply in all respects with the export, re-export and transfer restrictions set forth in such Export Regulations or in export licenses (if any) for every Product supplied to Buyer. Buyer accepts the responsibility to impose all export control restrictions to any third party if the items are transferred or re-exported to third parties. Buyer shall take all actions that may be reasonably necessary to ensure that no customery burchaser or end-user contravenes such Export Regulations. Buyer shall indemnify Philips Lighting Italy against any and all direct, indirect and punitive damages, loss, costs (including attorneys fees and costs) and other liability arising from claims re

Buyer acknowledges that the obligations contained in the Agreement shall survive the termination of any agreement of other arrangement under which the products, software or technology was provided to Buyer. In addition, in the event of any conflict in the terms provided in the Agreement with any other document entered into between Buyer and Philips Lighting Italy, Buyer understands that the terms of the Agreement shall control and be binding upon Buyer.

12. ASSIGNMENT AND SETOFF

Buyer shall not assign any rights or obligations under the Agreement without the prior written consent of Philips Lighting Italy. Buyer shall have no right to withhold or reduce any payments or to offset existing and future claims against any payments due for Products sold under the Agreement or under any other agreement that Buyer may have with Philips Lighting Italy or any of its affiliates may have and agrees to pay the amounts hereunder regardless of any claimed offset which may be asserted by Buyer or on its behalf.

13. ANTI BRIBERY

Buyer agrees that it now and in future shall comply with national law on prevention of bribery, as well as any other law transforming from ratification of the OECD Convention on Combating Bribery of Foreign Public Officials in International Business Transactions (including the US Foreign Corrupt Practices Act). In general, the law makes it illegal to bribe or make a corrupt payment to an Official for the purpose of obtaining or retaining business, directing business to any person, or securing any improper advantage.

Buyer's failure to comply with any provision of this section is grounds for immediate termination of any Agreement by Philips Lighting Italy (or its respective affiliate(s)), without Philips Lighting Italy incurring any liability towards Buyer. In the event of such termination, (i) Philips Lighting Italy shall be under no obligation to supply any Product to Buyer, (ii) Buyer shall be responsible for and indemnify Philips Lighting Italy for any damages, claims, penalties or other losses (including attorneys' fees) that may be asserted against or incurred by Philips Lighting Italy as a result of Buyer's breach of this section; and (iii) Philips Lighting Italy shall be entitled to any other remedies available at law or in equity. The terms and conditions of this section shall survive any expiration or termination of this Agreement.

Philips Lighting Italy will only do business with those companies that respect the law and adhere to ethical standards and principles. Should Philips Lighting Italy receive any information to the contrary, Philips Lighting Italy will inform and Buyer agrees to cooperate and provide whatever information is necessary to allow Philips Lighting Italy to decide whether there is any basis to any allegation received and whether the Agreement should continue. Such information includes, but is not limited to, books, records, documents, or other files.

14. GOVERNING LAW AND FORUM

All offers, confirmations and Agreements are governed by and construed in accordance with the laws of Italy. All disputes arising out of or in connection with any Agreement shall first be attempted by Buyer and Philips Lighting Italy to be settled through consultation and negotiation in good faith in a spirit of mutual cooperation. All disputes which cannot be resolved amicably shall be submitted to the exclusive jurisdiction of the courts of Milan, Italy, provided that Philips Lighting Italy shall always be permitted to bring any action or proceedings against Buyer in any other court of competent jurisdiction. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to any offer, confirmation or Agreement. Nothing in this Section 13 shall be construed or interpreted as a limitation on either Philips Lighting Italy' or Buyer's right under applicable law for injunctive or other equitable relief or to take any action to safeguard its possibility to have recourse on the other party.

15. BREACH AND TERMINATION

Without prejudice to any rights or remedies Philips Lighting Italy may have under the Agreement or at law, Philips Lighting Italy may, by written notice to Buyer, terminate with immediate effect the Agreement or any part thereof, in accordance with the provisions of art. 1456 of the Italian Civil Code, without any liability whatsoever and without excluding the possibility of asking for damages to Buyer, in the following cases:

(a) Buyer violates or breaches:

- i) obligations concerning payment as per art. 3;
- ii) obligations concerning rights in software, documentation and intellectual property as per atr. 6;
- iii) obligations concerning confidentiality as per art. 10;

(b) any proceedings in insolvency, bankruptcy (including reorganization) liquidation or winding up are instituted against Buyer, whether filed or instituted by Buyer, voluntary or involuntary, a trustee or receiver is appointed over Buyer, or any assignment is made for the benefit of creditors of Buyer.

Upon occurrence of any of the events referred to above, all payments to be made by Buyer under the Agreement shall become immediately due and payable.

In the event of cancellation, termination or expiration of an Agreement the terms and conditions destined to survive such cancellation, termination or expiration shall so survive.

16. MISCELLANEOUS

(a) In the event that any provision(s) of these Terms and Conditions shall be held invalid or unenforceable by a court of competent jurisdiction or by any future legislative or administrative action, such holding or action shall not negate the validity or enforceability of any other provisions thereof. In the event that any provision of these Terms and Conditions shall finally be determined to be unlawful or unenforceable, such provision shall be

deemed severed from these Terms and Conditions, but every other provision shall remain in full force and effect, and in substitution for any such provision held unlawful or unenforceable, there shall be substituted a provision of similar import reflecting the original intent of the clause to the extent permissible under applicable law.

(b) The failure on the part of either party to exercise, or any delay in exercising, any right or remedy arising from the Agreement shall not operate as a waiver thereof; nor shall any single or partial exercise of any right or remedy arising there from preclude any other or future exercise thereof or the exercise of any other right or remedy arising from the Agreement or from any related document or by law.

17. INFORMATION

concerning treatment of personal data, according to Legislative Decree Legislative 30 June 2003, n. 196 (Code of protection of the personal data) 1. In the execution of the performances object of the present agreement the Philips Lighting Italy undertakes to treat the personal data in compliance with Legislative Decree 30 June 2003, n. 196 (Code of protection of the personal data).

2.In details, the collected data are those identified by Philips Lighting Italy, as well as other information i.e. domiciliation, bank current accounts and trade information, collected by the interested, or via public registers, lists, acts or documents knowable from anyone. The collection of the aforesaid data is necessary in order to accomplish the execution of the contract.

- 3. The above mentioned data will be collected, recorded, recorded and managed from the Philips Lighting Italy by means of every necessary operation, also electronically in order to exercise the rights arising out of this Agreement or to accomplish to the relevant duties. The treatment of the data shall be done via suitable instruments to guarantee safety and confidentiality of data to be treated.
- 4. The personal data could be communicate to people in charge of carrying out proceeds and payments, to bank institutes, to cessionary creditors, to the Public Authorities or Administrations in execution of law order, to the affiliated companies also abroad, to the marketing net and technical assistance, to advisers, lawyers and technicians, as well as IT companies for electronic processors.
- 5. Philips Lighting Italy undertakes to adopt all organizational, physical and logical measures suitable to guarantee, according to their knowledge and to the technical progress for the time being, the maximum reduction of the destruction risks or accidental loss also, non-authorized access, treatment not concurred or not in compliance with the purposes of the collection of the data. Philips Lighting Italy undertakes, moreover, to respect the minimal measures of safety according to Head II of the Code of protection of personal data.
- 6. In relation to the foretold treatments Buyer will have the possibility to exercise the rights pursuant to art. 7 of the Legislative Decree 196/2003 as follows:
- a) to obtain confirmation of the existence or of its data;
- b) to obtain the communication in intelligible shape of the data and their origin, as well as the purpose on which the treatment is based;
- c) to obtain the cancellation, the transformation in anonymous shape or the block of the data obtained not in compliance with the law as well as the up-dating, the correction, or amendment of the data;
- d) to oppose, for justified reasons, to the treatment of the data, in whole or in part.
- 7. To exercise such rights each Party shall address to person detailed below:
- Philips Lighting Italy Špa, Via Casati 23, 20052 MONZA Italy f.a.o. SFO Credit Manager, tel. 039 2035722/ fax 039 2035730.
- 8. Buyer acknowledges that the treatment of personal data include transfer abroad, also in non EU countries and gives hereby its consent.